

# XLED home 2 black

LED FLOODLIGHT WITHOUT SENSOR

neva  
lux

EAN 4007841033118

E-Nr. 924700191

- Spotlight without motion detector, with fully swivelling LED panel in noble opal look
- Never change bulbs again thanks to 50,000 hours LED life (approx. 30 years at 4.5 hours/day)
- Optional corner wall bracket available for optimal illumination of an area in front of two house walls
- Warm white light (3000 K) and long-life 13,7 W LEDs with 1550 lm, with an illumination of max. 150 sqm
- Incl. mounting accessories - plastic-free packaging

● steinel

161 x 180 x 181 mm



XLED home 2 black

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033118  
E-Nr. 924700191

Technical Data

| DIMENSIONS                  |  | Illuminant               |  | LED cannot be replaced                     |  | Ambient temperature            |  | from -20 up to 40 °C  |  |                                                                        |  |                               |  |              |  |
|-----------------------------|--|--------------------------|--|--------------------------------------------|--|--------------------------------|--|-----------------------|--|------------------------------------------------------------------------|--|-------------------------------|--|--------------|--|
| Dimensions L × W × H        |  | 161 x 180 x 181 mm       |  | Base                                       |  | without                        |  | Housing material      |  | HCMC                                                                   |  |                               |  |              |  |
| ELECTRICAL                  |  | LED cooling system       |  | HCMC (High Conductive Magnesium Composite) |  | Cover material                 |  | Plastic, opal         |  | Mounting location                                                      |  | corner wall                   |  |              |  |
| Mains connection            |  | 220 – 240 V / 50 – 60 Hz |  | LIFETIME                                   |  | Application location           |  | Outdoors              |  | Mounting type                                                          |  | Surface wiring                |  |              |  |
| Power                       |  | 13,7 W                   |  | LED lifetime max. °C                       |  | 50000 h                        |  | Application room      |  | all round the building courtyard & driveway outdoors terrace / balcony |  | SCOPE OF DELIVERY & WARRANTY  |  |              |  |
| SENSOR TECHNOLOGY           |  | LED lifetime L70B50 25°C |  | > 60000 h                                  |  | Luminous flux decline per LM80 |  | L70B10                |  | Manufacturer warranty                                                  |  | 5 years                       |  |              |  |
| With motion detector        |  | No                       |  | SETTINGS                                   |  | Twilight switch                |  | No                    |  | CERTIFICATES & EPREL                                                   |  | EPREL energy efficiency class |  | E            |  |
| LIGHTING TECHNOLOGY         |  | HOUSING & MATERIAL       |  | Impact resistance                          |  | IK03                           |  | Protection class (IP) |  | IP44                                                                   |  | EPREL category                |  | Light source |  |
| Measured luminous flux 360° |  | 1550 lm                  |  | Protection class                           |  | II                             |  |                       |  |                                                                        |  |                               |  |              |  |
| Colour temperature          |  | 3000 K                   |  |                                            |  |                                |  |                       |  |                                                                        |  |                               |  |              |  |
| LED colour deviation        |  | SDCM3                    |  |                                            |  |                                |  |                       |  |                                                                        |  |                               |  |              |  |
| Colour rendering index      |  | 80-89                    |  |                                            |  |                                |  |                       |  |                                                                        |  |                               |  |              |  |
| With illuminant             |  | Yes, STEINEL LED system  |  |                                            |  |                                |  |                       |  |                                                                        |  |                               |  |              |  |

# XLED home 2 black


LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033118

E-Nr. 924700191

## Illustrations

### TECHNICAL DRAWINGS



161 x 180 x 181 mm


XLED home 2 black

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033118  
E-Nr. 924700191

Wiring Diagrams

WIRING DIAGRAM 1



Slave circuit diagram


# XLED home 2 black

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033118

E-Nr. 924700191

## Highlights




Including STEINEL LED system



HCMC cooling system



UV-resistant plastic



Colour rendering index Ra ≥ 80

XLED home 2 black

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033118  
E-Nr. 924700191

Accessories

| ARTICLE NUMBER                                                                                  | DESCRIPTION                                                      | CATEGORY  |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------|
|  4007841055875 | Eckwandhalter XLED Home 2/ Protect/ Pro 240 schwarz              | Accessory |
|  4007841053086 | Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse graphit | Accessory |
|  4007841055615 | Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse weiss   | Accessory |
|  4007841053109 | Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse silber  | Accessory |

ORDERING INFORMATION

Art.-Nr.

033118

EAN

4007841033118

E-Number

924700191

Typ

XLED home 2 black

neva  
lux

nevalux AG  
Neugrütstrasse 2  
8610 Uster  
+41 44 508 78 78  
info@nevalux.swiss