L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782
E-Nr. 941200659

- Outdoor light with twilight sensor and pleasant ambient light on the house wall
- High-quality stainless steel trim as well as UV-resistant, impact-resistant material according to IK07 for a long service life
- Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- Adjustable night-saving mode: the luminaire switches off for 0-7 hours at night and comes back on after the time has elapsed
- With E27 socket for incandescent lamps with max. 60 W as well as for energy-saving lamps or LED bulbs with max. 20 W (not included in the scope of delivery)
- Incl. mounting accessories - plastic-free packaging

steinel

81 x 162 x 280 mm



L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN **4007841065782**
E-Nr. **941200659**

Technical Data

DIMENSIONS

Dimensions L × W × H	**81 x 162 x 280 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**60 W**

SENSOR TECHNOLOGY

Sensor technology	**Light sensor**
With motion detector	**No**
Sneak-under protection	**No**
Segment-by-segment masking	**No**
Electronic scalability	**No**
Mechanical scalability	**No**

CONNECTIVITY

Networking	**No**
Slave mode adjustable	**No**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

With illuminant	**No**
Illuminant	**All-purpose lamp**
Base	**E27**
Soft light start	**No**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 50 lx**
Base light function	**No**
Settings via	**Potentiometers**
With remote control	**No**
Twilight setting teach	**No**

HOUSING & MATERIAL

Impact resistance	**IK07**
Protection class (IP)	**IP44**
Protection class	**II**
Ambient temperature	**from -20 up to 40 °C**
Housing material	**Stainless steel**
Cover material	**Plastic, opal**
Mounting location	**wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Application room	**all round the building courtyard & driveway front door outdoors terrace / balcony**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**
House number sheet included	**No**


L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782
E-Nr. 941200659

Illustrations

TECHNICAL DRAWINGS



81 x 162 x 280 mm


L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782
E-Nr. 941200659

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN 4007841065782
E-Nr. 941200659

Highlights



Impact-resistant material rated to IK07



High-quality designer trim panel in stainless steel

L 22 N Anthracite

PHOTO-CELL-CONTROLLED LIGHT

EAN **4007841065782**
E-Nr. **941200659**

Accessories

ORDERING INFORMATION

Art.-Nr.	065782
EAN	4007841065782
E-Number	941200659
Typ	**L 22 N Anthracite**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss