


elani Color RAL_NCS_1500



Product code 221106

- Optional adapters made of UV-resistant plastic



elani Color RAL_NCS_1500

Product code 221106

Technical Data

IDENTIFICATION		Presence range		r = 4 m (25 m²)		Settings via		ETS software\nRemote control\nBus\nSmart Remote	
Version	Presence detector	Optimal mounting height		1,2 m					
Type of accessory		Other				With remote control		Yes	
DIMENSIONS				CONNECTIVITY					
Dimensions L x W x H		50 x 80 x 80 mm		Networking		Yes		Twilight setting teach	
				Type of networking		Master/master\nMaster/slave			
ELECTRICAL				Networking via		KNX bus		HOUSING & MATERIAL	
Mains connection		21 – 30 V		KNX functions		Photo-cell controller\nBasic light level function\nLight level\nHVAC output\nConstant-lighting control\nLight output 4x\nAir pressure\nHumidity output\nPresence output\nDay / night function\nDewpoint\nTemperature output\nLogic gate		Protection class (IP)	
SENSOR TECHNOLOGY								Ambient temperature	
Max. mounting height		1,20 m						from 0 up to 40 °C	
Sensor technology		passive infrared						Mounting location	
With motion detector		Yes						wall	
Detection angle		180 °						Application location	
Opening angle		90 °						Indoors	
Sneak-under protection		Yes						Mounting type	
Segment-by-segment masking		No						Concealed wiring	
Electronic scalability		Yes						Material	
Mechanical scalability		No						Plastic	
Radial range		r = 4 m (25 m²)		With bus coupler		Yes		Application room	
Tangential range		r = 12 m (226 m²)						Indoors WC / washroom corridor / aisle function room / ancillary room kitchenette one-person office stairwell	
Switching zones		96 switching zones		LIGHTING TECHNOLOGY					
Mounting height		1 – 1,2 m		Soft light start		Yes		Colour	
				Constant light regulation		Yes		RAL colour	
				SETTINGS					
				Twilight switch		Yes		SCOPE OF DELIVERY & WARRANTY	
				Twilight setting		2 – 1000 lx		Manufacturer warranty	
				Time setting		60 s – 255 Min.		5 years	
				Base light function		Yes		Corner wall bracket included	
				Functions		Presence detector logic		No	
								CERTIFICATES & EPREL	
								Certificates	
								EMC\nVDE	

elani Color RAL_NCS_1500

Product code 221106

Illustrations

MOUNTING HEIGHT

1 – 1,2 m BEREICH	1,2 m OPTIMAL	1,20 m MAX
----------------------	------------------	---------------

elani Color RAL_NCS_1500

Product code 221106

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221130	elani C1500 4K	
 221133	elani connect C1500 4K	
 221124	elani P1500 4K	
 221125	elani connect P1500 4K	

ORDERING INFORMATION

Art.-Nr.

221106

Typ

elani Color RAL_NCS_1500

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss