

IR Quattro SLIM 4m KNX

neva
lux

Product code **4007841058494**

E-Nr. **535932408**

- Extremely slim overall height
- High-quality retina lens
- Can only be set using optional remote controls
- Smart Remote remote control optional

neva
lux

55 x 77 x 77 mm



IR Quattro SLIM 4m KNX

Product code **4007841058494**
E-Nr. **535932408**

Technical Data

IDENTIFICATION	
Version	Presence detector
DIMENSIONS	
Dimensions L x W x H	55 x 77 x 77 mm
ELECTRICAL	
Supply voltage detail	KNX bus
SENSOR TECHNOLOGY	
Max. mounting height	4,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	360 °
Opening angle	71 °
Sneak-under protection	Yes
Segment-by-segment masking	No
Electronic scalability	No
Mechanical scalability	No
Range detail	Retina lens and hexagonal Fresnel structure
Radial range	4 x 4 m (16 m²)
Tangential range	4 x 4 m (16 m²)
Switching zones	260 switching zones

Mounting height	2,50 – 4 m
Presence range	4 x 4 m (16 m²)
Optimal mounting height	2,8 m
CONNECTIVITY	
Networking	Yes
Type of networking	Master/master\nMaster/slave
Networking via	KNX bus
KNX functions	Photo-cell controller\nBasic light level function\nLight level\nHVAC output\nConstant-lighting control\nLight output 4x\nPresence output\nDay / night function\nLogic gate
With bus coupler	Yes
LIGHTING TECHNOLOGY	
Soft light start	Yes
Continuous light	selectable
Constant light regulation	No
SETTINGS	
Twilight switch	Yes
Twilight setting	10 – 1000 lx
Time setting	10 s – 1092 Min.
Base light function	Yes

Main light adjustable	0 - 100 %
Settings via	ETS software\nRemote control\nBus\nSmart Remote
With remote control	No
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP20
Protection class	II
Ambient temperature	from 0 up to 40 °C
Mounting location	ceiling
Application location	Indoors
Mounting type	In-ceiling installation
Material	Plastic
Application room	Indoors WC / washroom care room function room / ancillary room hotel room one-person office
Colour	white
RAL colour	9010
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No

IR Quattro SLIM 4m KNX

Product code **4007841058494**
E-Nr. **535932408**

Illustrations

MOUNTING HEIGHT

2,50 – 4 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
-----------------------	------------------	---------------

IR Quattro SLIM 4m KNX

Product code **4007841058494**
E-Nr. **535932408**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841058494

E-Number

535932408

Typ

IR Quattro SLIM 4m KNX

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss