

Dual US COM2

neva
lux

Product code 4007841007850

E-Nr. 535932310

- Optional remote controls
- Optional surface-mounting adapter
- Optional guard cage

neva
lux

120 x 120 x 73 mm



Dual US COM2

Product code **4007841007850**

E-Nr. **535932310**

Technical Data

IDENTIFICATION				HOUSING & MATERIAL	
Variant	COM2	Tangential range	20 x 3 m (60 m²)	Protection class (IP)	IP20
Version	Presence detector	Mounting height	2,50 – 3,50 m	Ambient temperature	-25 – 55 °C
DIMENSIONS		Optimal mounting height	2,8 m	Mounting location	ceiling
Dimensions L x W x H	120 x 120 x 73 mm	CONNECTIVITY		Application location	Indoors
ELECTRICAL		Networking	Yes	Mounting type	Concealed wiring
Mains connection	220 – 240 V , 50 / 60 Hz	Type of networking	Master/slave, Master/master	Material	Plastic
SENSOR TECHNOLOGY		LIGHTING TECHNOLOGY		Colour	white
Sensor technology	Ultrasonic	Constant light regulation	No	RAL colour	9010
Detection angle	360 °	SETTINGS		SCOPE OF DELIVERY & WARRANTY	
Sneak-under protection	Yes	Twilight setting	10 – 1000 lx	Manufacturer warranty	5 years
Electronic scalability	Yes	Time setting	30 sec – 30 min	OTHER	
Mechanical scalability	No	Base light function	No	Application, location, room	
Radial range	20 x 3 m (60 m²)	With remote control	Yes		
		Twilight setting teach	Yes		

Dual US COM2

Product code **4007841007850**
E-Nr. **535932310**

Illustrations

MOUNTING HEIGHT

2,50 – 3,50 m BEREICH	2,8 m OPTIMAL
--------------------------	------------------

Dual US COM2

Product code **4007841007850**
E-Nr. **535932310**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841559410	Service Fernbedienung RC8	Accessory
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841007850

E-Number

535932310

Typ

Dual US COM2

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss