

XLED PRO Wide XL SL schwarz



Product code 4007841010225

E-Nr. 924700291

- Including STEINEL LED system
- Intelligent LED cooling system
- Optional basic lighting level
- UV resistant material
- Interconnectable by cable

neva
lux

165 x 265 x 126 mm



XLED PRO Wide XL SL schwarz

Product code 4007841010225
E-Nr. 924700291

Technical Data

IDENTIFICATION		LED colour deviationSDCM3		Twilight setting2 – 1000 lx	
Variant	black	Colour rendering index80-89		Base light function time10 min, 30 min, all night	
DIMENSIONS		With illuminantYes, STEINEL LED system		HOUSING & MATERIAL	
Dimensions L x W x H	165 x 265 x 126 mm	IlluminantLED cannot be replaced		Impact resistanceIK00	
ELECTRICAL		LED cooling systemPassive Thermo Control		Protection class (IP)IP54	
Mains connection	220 – 240 V , 50 / 60 Hz	Continuous lightselectable, 4h		Protection classI	
Power	48 W	Luminous flux4400 lm		Ambient temperature-20 – 40 °C	
SENSOR TECHNOLOGY		LIFETIME		Housing materialAluminium	
Max. mounting height	6,00 m	LED lifetime max. °C50000 h		Cover materialPlastic, transparent	
With motion detector	No	Luminous flux decline per LM80L70B10		SCOPE OF DELIVERY & WARRANTY	
LIGHTING TECHNOLOGY		SETTINGS		Manufacturer warranty5 years	
Colour temperature	4000 K	Twilight switchNo			

XLED PRO Wide XL SL schwarz

Product code **4007841010225**
E-Nr. **924700291**

Illustrations

MOUNTING HEIGHT

6,00 m

MAX

XLED PRO Wide XL SL schwarz

Product code **4007841010225**
E-Nr. **924700291**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841007638	Fernbedienung RC9	Other

ORDERING INFORMATION

Art.-Nr.

4007841010225

E-Number

924700291

Typ

XLED PRO Wide XL SL schwarz

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss