Spot Garden SC 24V with motion detector & Bluetooth

24V-GARDEN LED SPOT

EAN 4007841089344

Your garden. Your light. With the 24V garden lighting system, you can make your outdoor area shine. Simply connect the light, cable and power supply unit and set via the STEINEL Connect app.

- Stylish coloured light accents: swivelling 24V garden spotlight with ground spike with motion detector
- High-quality material: Elegant and puristic design made of durable aluminium
- STEINEL Connect App: Easy configuration and networking of multiple lights via Bluetooth
- True Color: true-to-life color rendering in warm white, cool white and color, dimmable for flexible lighting scenes
- Plug & Play: All components can be connected quickly and without tools, and can be expanded as desired
- Well planned: This light consumes 7,9 W. To operate it, you'll need a 24V power supply that matches the total power requirement – not included.

steinel

69 x 118 x 369 mm



Spot Garden SC 24V with motion detector & Bluetooth

EAN 4007841089344

24V-GARDEN LED SPOT

Technical Data

DIMENSIONS

Dimensions L × W × H	69 x 118 x 369 mm

ELECTRICAL

Power	7,9 W

SENSOR TECHNOLOGY

Sensor technology	passive infrared
With motion detector	Yes
Detection angle	90 °
Opening angle	90 °
Sneak-under protection	No
Segment-by-segment masking	No
Electronic scalability	No
Mechanical scalability	No
Radial range	r = 2 m (3 m²)
Tangential range	r = 10 m (79 m²)

CONNECTIVITY

Networking	Yes
Slave mode adjustable	Yes
Control technology	Steinel Connect

LIGHTING TECHNOLOGY

Measured luminous flux 360°	363 lm
Efficiency	46 lm/W
Colour temperature	all colors + 1800-4000 K
LED colour deviation	SDCM3
Colour rendering index	= 90
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Soft light start	Yes
Continuous light	selectable

LIFETIME

LED lifetime L70B50 25°C	> 60000 h
Average rated power supply lifetime at 25 °C	> 60000 h

SETTINGS

Twilight setting	2 – 2000 lx
Time setting	5 s – 60 Min.
Base light function	Yes
Base light function time	5s-60 min
Main light adjustable	10 - 100 %
Functions	DIM function Motions sensor Color temperature change Light sensor Normal / test mode Push button configuration
Settings via	Bluetooth Mesh
With remote control	No
Twilight setting teach	Yes
Base light function in percent	10 – 100 %
Base light function percent from	10 %

HOUSING & MATERIAL

Protection class (IP)	IP65
Protection class	III
Ambient temperature	from -20 up to 40 °C
Housing material	Aluminium
Cover material	PC structured
Mounting location	Floor
Application location	Outdoors
Mounting type	Other
Material	Aluminium
Application room	garden outdoors terrace / balcony
Colour	Anthracite

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	3 years
House number sheet included	No

CERTIFICATES & EPREL

Certificates	TSU
EPREL category	Surrounded product with integrated light source


Spot Garden SC 24V with motion detector & Bluetooth

EAN 4007841089344

24V-GARDEN LED SPOT

Illustrations

TECHNICAL DRAWINGS



69 x 118 x 369 mm

Spot Garden SC 24V with motion detector & Bluetooth


EAN 4007841089344

24V-GARDEN LED SPOT

Highlights



Plug&Play - Easy to install




True Color



Dimmable lighting



Sturdy ground spike



High-quality aluminium

Spot Garden SC 24V with motion detector & Bluetooth

EAN 4007841089344

24V-GARDEN LED SPOT

Accessories

ORDERING INFORMATION

Art.-Nr.	089344
EAN	4007841089344
Typ	**Spot Garden SC 24V with motion detector & Bluetooth**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss