L 840 C without motion detector, with Bluetooth


OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079277
E-Nr. 941003659

- Outdoor light without motion detector, with effective lighting upwards and downwards (Up- & Downlight)
- Elegant and modern design in cube format made of UV-resistant material
- Wireless networking via Bluetooth Mesh and easy setting via STEINEL Connect App
- Functions: adjustable basic and main light (basic light only in combination with a Bluetooth sensor luminaire), scheduling function
- Warm white light (3000 K) and long-life 9,1 W LEDs with 319 lm
- Incl. mounting accessories - plastic-free packaging

steinel

134 x 110 x 110 mm



L 840 C without motion detector, with Bluetooth

OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841079277**
E-Nr. **941003659**

Technical Data

DIMENSIONS

Dimensions L × W × H	**134 x 110 x 110 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**9,1 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**Yes**
Control technology	**Steinel Connect**
Wireless networking via	**BT SIG Mesh**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**319 lm**
Colour temperature	**3000 K**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**
Soft light start	**No**
Continuous light	**selectable**

LIFETIME

LED lifetime max. °C	**50000 h**
LED lifetime L70B50 25°C	**> 60000 h**

SETTINGS

Twilight switch	**No**
Base light function	**No**
Main light adjustable	**0 - 100 %**
Settings via	**Bluetooth Mesh Smartphone Tablet**
With remote control	**No**
Twilight setting teach	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP44**
Protection class	**II**
Ambient temperature	**from -20 up to 40 °C**
Housing material	**Plastic**
Cover material	**Plastic, opal**
Mounting location	**wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Material	**Plastic**
Application room	**all round the building courtyard & driveway front door garden outdoors terrace / balcony**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**
House number sheet included	**No**

CERTIFICATES & EPREL

EPREL category	**Surrounded product with integrated light source**


L 840 C without motion detector, with Bluetooth

OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841079277**
E-Nr. **941003659**

Illustrations

TECHNICAL DRAWINGS



134 x 110 x 110 mm

L 840 C without motion detector, with Bluetooth


OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841079277**
E-Nr. **941003659**

Highlights



UV resistant material




Adjustable main and basic light brighness (10 - 100%)

L 840 C without motion detector, with Bluetooth

OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841079277**
E-Nr. **941003659**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841088620	**Funkschalter TapDuo C**	System components

ORDERING INFORMATION

Art.-Nr.	079277
EAN	4007841079277
E-Number	941003659
Typ	**L 840 C without motion detector, with Bluetooth**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss