RS PRO DL LED 20 W warm white

SENSOR-SWITCHED INDOOR LIGHT

EAN 4007841007782

- Including STEINEL LED system
- Intelligent LED cooling system
- Ceiling-flush installation
- Interconnectable by cable ?(maximum of 10 units)
- Can only be set by optional remote control RC2

168 x 88 mm



RS PRO DL LED 20 W warm white

SENSOR-SWITCHED INDOOR LIGHT

EAN **4007841007782**

Technical Data

IDENTIFICATION

Variant	**warm white**

DIMENSIONS

Dimensions Ø × H	**168 x 88 mm**

ELECTRICAL

Mains connection	**100 – 240 V , 50 / 60 Hz**
Power	**20 W**
Power detail	**Only via Eltako ER12DX-UC**

SENSOR TECHNOLOGY

Sensor technology	**High frequency**
Transmission power	**< 1 mW**
With motion detector	**Yes**
Detection	**also through glass, wood and stud walls**
Detection angle	**360 °**
Opening angle	**160 °**
Electronic scalability	**Yes**
Mechanical scalability	**No**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**3000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**
Luminous flux	**1077 lm**

LIFETIME

LED lifetime max. °C	**50000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**Yes**
Time setting	**60 sec – 60 min**
Base light function time	**10 min, 30 min, all night**

HOUSING & MATERIAL

Impact resistance	**IK00**
Protection class (IP)	**IP20**
Protection class	**II**
Ambient temperature	**-10 – 40 °C**
Housing material	**Aluminium**
Cover material	**Plastic, opal**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

RS PRO DL LED 20 W warm white

SENSOR-SWITCHED INDOOR LIGHT

EAN 4007841007782

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841737818	**RS PRO Fernbedienung RC2**	Accessory
	4007841009151	**Smart Remote**	Accessory
	4007841013684	**Sanierungsblende für RS PRO DL LED 20 W**	Accessory

ORDERING INFORMATION

Art.-Nr.	4007841007782
EAN	4007841007782
Typ	**RS PRO DL LED 20 W warm white**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss