zola C1500 3CCT 50W

CEILING LUMINAIRE

Product code **221407**

- Wide range of use in garages, basements, adjoining rooms, etc.
- 3 light colors selectable (3000, 4000 or 5700 Kelvin)
- Quick and easy mounting with separate mounting base
- Rear and side cable entry possible
- Wide beam diffuser (120 °)
- Version "Low Output" suitable for emergency lighting installations thanks to DC detection
- Available as emergency light version on request

1503 x 71 x 64 mm



zola C1500 3CCT 50W

CEILING LUMINAIRE

Product code **221407**

Technical Data

DIMENSIONS

Dimensions L × W × H	**1503 x 71 x 64 mm**

ELECTRICAL

Mains connection	**200…240 V / 50 – 60 Hz**
Power	**50 W**
Replaceable driver	**Yes**
Type of wiring	**Suitable for through wiring**

SENSOR TECHNOLOGY

With motion detector	**No**
With light sensor	**No**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**3000 / 4000 / 5700 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
Illuminant	**LED**
Luminous flux	**6000 lm**
Beam angle	**120°**
Luminaire luminous efficacy	**120 lm/W**

LIFETIME

LED lifespan (25 °C)	**50000 h**

SETTINGS

DALI dimming	**No**
With emergency light	**No**
Suitable for light band configuration	**Yes**

HOUSING & MATERIAL

Impact resistance	**IK08**
Protection class (IP)	**IP20**
Protection class	**I**
Ambient temperature	**-20…45 °C**
Housing material	**Steel**
Cover material	**Diffusor opal**
Mounting type	**Ceiling / wall surface-mounted**
Colour	**white**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

CERTIFICATES & EPREL

EPREL energy efficiency class	**E**


zola C1500 3CCT 50W

CEILING LUMINAIRE

Product code **221407**

Illustrations

TECHNICAL DRAWINGS



1503 x 71 x 64 mm


zola C1500 3CCT 50W

CEILING LUMINAIRE

Product code **221407**

Wiring Diagrams

WIRING DIAGRAM 1



Wiring diagram

zola C1500 3CCT 50W

CEILING LUMINAIRE

Product code **221407**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	221410	**zola P-Set**	Suspending accessories

ORDERING INFORMATION

Art.-Nr.	221407
Typ	**zola C1500 3CCT 50W**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss