

RS PRO DL LED 15 W neutralweiss

neva
lux

Product code **4007841007713**

E-Nr. **941310009**

- Including STEINEL LED system
- Intelligent LED cooling system
- Ceiling-flush installation
- Interconnectable by cable ?(maximum of 10 units)
- Can only be set by optional remote control RC2

neva
lux

142.5 x 88 mm



RS PRO DL LED 15 W neutralweiss

Product code **4007841007713**
E-Nr. **941310009**

Technical Data

IDENTIFICATION					
Variant	Neutral white	Detection angle	360 °	Luminous flux decline per LM80	L70B10
DIMENSIONS		Opening angle	160 °		
Dimensions Ø × H	142.5 x 88 mm	Electronic scalability	Yes	SETTINGS	
ELECTRICAL		Mechanical scalability	No	Twilight switch	Yes
Mains connection	100 – 240 V , 50 / 60 Hz	LIGHTING TECHNOLOGY			
Power	15 W	Colour temperature	4000 K	Time setting	60 sec – 60 min
Power detail	Only via Eltako ER12DX-UC with basic light function deactivated	LED colour deviation	SDCM3	Base light function time	10 min, 30 min, all night
SENSOR TECHNOLOGY		Colour rendering index	80-89	HOUSING & MATERIAL	
Sensor technology	High frequency	With illuminant	Yes, STEINEL LED system	Impact resistance	IK00
Transmission power	< 1 mW	Illuminant	LED cannot be replaced	Protection class (IP)	IP20
With motion detector	Yes	Base	without	Protection class	II
Detection	also through glass, wood and stud walls	LED cooling system	Passive Thermo Control	Ambient temperature	-10 – 40 °C
		Luminous flux	838 lm	Housing material	Aluminium
		LIFETIME		Cover material	Plastic, opal
		LED lifetime max. °C	50000 h	SCOPE OF DELIVERY & WARRANTY	
				Manufacturer warranty	5 years

RS PRO DL LED 15 W neutralweiss

Product code **4007841007713**
E-Nr. **941310009**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841737818	RS PRO Fernbedienung RC2	
 4007841009151	Smart Remote	Accessory
 4007841013677	Sanierungsblende für RS PRO DL LED 15 W	

ORDERING INFORMATION

Art.-Nr.

4007841007713

E-Number

941310009

Typ

RS PRO DL LED 15 W neutralweiss

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss