XLED FL-100 white

LED FLOODLIGHT

EAN 4007841003890

- Including STEINEL LED system
- Intelligent LED cooling system
- Colour rendering index Ra =90
- Interconnectable by cable ?(maximum of 16 units)
- High-quality aluminium

182 x 175 x 1041 mm



XLED FL-100 white

LED FLOODLIGHT

EAN **4007841003890**

Technical Data

IDENTIFICATION

Variant	**white**

DIMENSIONS

Dimensions L × W × H	**182 x 175 x 1041 mm**

ELECTRICAL

Mains connection	**230 V**
Power	**25 W**

SENSOR TECHNOLOGY

Sensor technology	**Light sensor**
With motion detector	**No**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**3500 K**
LED colour deviation	**SDCM6**
Colour rendering index	**90-100**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
LED cooling system	**Passive Thermo Control**
Luminous flux	**1016 lm**

LIFETIME

LED lifetime max. °C	**50000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**Yes**

HOUSING & MATERIAL

Impact resistance	**IK00**
Protection class (IP)	**IP44**
Protection class	**I**
Housing material	**Aluminium**
Cover material	**Plastic, transparent**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

XLED FL-100 white

LED FLOODLIGHT

EAN 4007841003890

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841003890
EAN	4007841003890
Typ	**XLED FL-100 white**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss