

IR Quattro SLIM XS KNX V3 - rund

neva
lux

Product code **4007841058517**

E-Nr. **535935708**

- Extremely slim overall height
- High-quality retina lens
- Can only be set using optional remote controls
- Smart Remote remote control optional

neva
lux

94 x 49 mm



IR Quattro SLIM XS KNX V3 - rund

Product code 4007841058517
E-Nr. 535935708

Technical Data

IDENTIFICATION		Switching zones		408 switching zones		Base light function time		1-255 min	
Variant		KNX - round		Mounting height		2,50 – 4 m		Settings via	
Version		Presence detector		Presence range		4 x 4 m (16 m²)		ETS software, Remote control, Bus, Smart Remote	
DIMENSIONS				Optimal mounting height		2,8 m		With remote control	
Dimensions Ø x H		94 x 49 mm		FIL_4_PRO sensor technology		Passive infrared		Twilight setting teach	
ELECTRICAL				CONNECTIVITY				HOUSING & MATERIAL	
Mains connection		24 – 29 V		Networking		Yes		Protection class (IP)	
FIL_2_PRO interfaces		KNX		Type of networking		Master/master, Master/slave		Ambient temperature	
SENSOR TECHNOLOGY				KNX functions		Photo-cell controller, Basic light level function, Light level, HVAC output, Constant-lighting control, Light output 4x, Presence output, Day / night function, Logic gate		Mounting location	
Sensor technology		passive infrared						Application location	
Detection angle		360 °						Mounting type	
Opening angle		71 °						Material	
Sneak-under protection		Yes						Colour	
Segment-by-segment masking		No		With bus coupler		Yes		RAL colour	
Electronic scalability		No		LIGHTING TECHNOLOGY				SCOPE OF DELIVERY & WARRANTY	
Mechanical scalability		No		Constant light regulation		Yes		Manufacturer warranty	
Range detail		Retina lens and hexagonal Fresnel structure		SETTINGS				OTHER	
Radial range		4 x 4 m (16 m²)		Twilight setting		10 – 1000 lx		Application, location, room	
Tangential range		4 x 4 m (16 m²)		Time setting		0 sec – 1092 min		one-person office, hotel room, care room, function room / ancillary room, WC / washroom, Indoors	
				Base light function		Yes			

IR Quattro SLIM XS KNX V3 - rund

Product code **4007841058517**
E-Nr. **535935708**

Illustrations

MOUNTING HEIGHT

2,50 – 4 m BEREICH	2,8 m OPTIMAL
-----------------------	------------------

IR Quattro SLIM XS KNX V3 - rund

Product code **4007841058517**
E-Nr. **535935708**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841058517

E-Number

535935708

Typ

IR Quattro SLIM XS KNX V3 - rund

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss