

RS LED D2 Z-Wave

neva
lux

Product code **4007841029852**

- Including STEINEL LED system
- LED ambient light
- High-quality materials

neva
lux

300 x 300 x 65,5 mm



RS LED D2 Z-Wave

Product code 4007841029852

Technical Data

DIMENSIONS		Transmission range		SETTINGS	
Dimensions L x W x H		Up to 100 m in the open, 30 m indoors		Twilight switch	
300 x 300 x 65,5 mm				Yes	
ELECTRICAL		LIGHTING TECHNOLOGY		Twilight setting	
Mains connection		Colour temperature		2 – 2000 lx	
220 – 240 V , 50 / 60 Hz		3000 K		Time setting	
Power		LED colour deviation		5 sec – 15 min	
11 W		SDCM3		HOUSING & MATERIAL	
SENSOR TECHNOLOGY		Colour rendering index		Impact resistance	
Sensor technology		80-89		IK00	
High frequency		With illuminant		Protection class (IP)	
Transmission power		Yes, STEINEL LED system		IP20	
< 1 mW		Illuminant		Protection class	
With motion detector		LED cannot be replaced		II	
Yes		Base		Ambient temperature	
Detection		LED cooling system		-10 – 40 °C	
also through glass, wood and stud walls		Passive Thermo Control		Housing material	
		Luminous flux		Plastic	
Detection angle		600 lm		Cover material	
360 °		LIFETIME		Plastic, opal	
Opening angle		LED lifetime max. °C		SCOPE OF DELIVERY & WARRANTY	
160 °		50000 h		Manufacturer warranty	
Electronic scalability		Luminous flux decline per LM80		3 years	
Yes		L70B10			
Mechanical scalability					
No					

RS LED D2 Z-Wave

Product code 4007841029852

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841029876	Smartfriends Box	

ORDERING INFORMATION

Art.-Nr.

4007841029852

Typ

RS LED D2 Z-Wave

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss