

zwena connect LS P600 3K

ZWENA CONNECT P

neva
lux

Product code **221552**

- For universal use for illumination of offices, schools, traffic zones, etc.
- Optionally as an intelligent Connect version with or without motion sensor, or as a conventional DALI luminaire
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- High quality finish
- Direct and indirect light distribution

neva
lux

600 x 82 mm



zwena connect LS P600 3K

Product code 221552

ZWENA CONNECT P

Technical Data

DIMENSIONS			
Dimensions Ø x H	600 x 82 mm		
Suspension length	1500 mm		
ELECTRICAL			
Mains connection	200...240 V / 50 – 60 Hz		
Power	48 W		
Replaceable driver	Yes		
Type of wiring	Suitable for through wiring		
LED rated current	1300 mA		
SENSOR TECHNOLOGY			
With motion detector	No		
With light sensor	Yes		
CONNECTIVITY			
With radio network control	Yes		
LIGHTING TECHNOLOGY			
Colour temperature	3000 K		
		LED colour deviation	SDCM3
		Colour rendering index	80-89
		Illuminant	LED
		Luminous flux	5250 lm (Down 3500, Up 1750)
		Beam angle	Down 95°, Up 100°
		Luminaire luminous efficacy	109 lm/W
		Glare value	UGR < 18
		LIFETIME	
		LED lifespan (25 °C)	50000 h
		SETTINGS	
		DALI dimming	Yes
		With emergency light	No
		Direct/indirect ratio separately controllable	No
		With program-controlled lighting control	Yes
		Constant light output control	Yes
		HOUSING & MATERIAL	
		Protection class (IP)	IP20
		Protection class	I
		Ambient temperature	-20...45 °C
		Housing material	Aluminum
		Cover material	Microprismatic acrylic glass
		Mounting type	Ceiling pendant
		Colour	white
		SCOPE OF DELIVERY & WARRANTY	
		Manufacturer warranty	5 years
		CERTIFICATES & EPREL	
		EPREL energy efficiency class	E

zwena connect LS P600 3K

Product code 221552

ZWENA CONNECT P

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221618	Emergency Package 1h (50V/3.5W)	Emergency lighting
 221570	Connect TK2 BLM	Pushbutton interface
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221971	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB4	Wireless push-button

ORDERING INFORMATION

Art.-Nr.221552

Typzwena connect LS P600 3K

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss