Stela C 24V 860 mm


24V-GARDEN LED LIGHT

EAN 4007841091996

Your garden. Your light. With the 24V garden lighting system, you can make your outdoor area shine. Simply connect the light, cable and power supply unit and set via the STEINEL Connect app.

- Stylish coloured lighting accents: 24V bollard light 860 mm
- Automatic lighting: Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- STEINEL Connect App: Easy configuration and networking of multiple lights via Bluetooth
- True Color: true-to-life color rendering in warm white, cool white and color, dimmable for flexible lighting scenes
- Plug & Play: All components can be connected quickly and without tools, and can be expanded as desired
- Well planned: This light consumes 9,2 W. To operate it, you'll need a 24V power supply that matches the total power requirement – not included.

130 x 130 x 860 mm



Stela C 24V 860 mm

24V-GARDEN LED LIGHT

EAN **4007841091996**

Technical Data

DIMENSIONS

Dimensions L × W × H	**130 x 130 x 860 mm**

ELECTRICAL

Power	**9,2 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**Yes**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Efficiency	**58 lm/W**
Colour temperature	**all colors + 1800-4000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**= 83**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Continuous light	**selectable**

LIFETIME

LED lifetime L70B50 25°C	**> 60000 h**
Average rated power supply lifetime at 25 °C	**> 60000 h**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Main light adjustable	**10 - 100 %**
Functions	**DIM function Color temperature change Group parameterisation Light sensor Neighbouring group function Push button configuration Pushbutton / switch mode**
Settings via	**Bluetooth Mesh**
With remote control	**No**
Twilight setting teach	**Yes**

HOUSING & MATERIAL

Protection class (IP)	**IP65**
Protection class	**III**
Ambient temperature	**from -20 up to 40 °C**
Housing material	**Aluminium**
Cover material	**Plastic, structured**
Mounting location	**Floor**
Application location	**Outdoors**
Mounting type	**Other**
Material	**Aluminium**
Application room	**garden outdoors terrace / balcony**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**
House number sheet included	**No**

CERTIFICATES & EPREL

Certificates	**TSU**
EPREL category	**Surrounded product with integrated light source**


Stela C 24V 860 mm

24V-GARDEN LED LIGHT

EAN 4007841091996

Illustrations

TECHNICAL DRAWINGS



130 x 130 x 860 mm

Stela C 24V 860 mm


24V-GARDEN LED LIGHT

EAN 4007841091996

Highlights




Plug&Play - Easy to install




True Color



Dimmable lighting



360° light illumination



High-quality aluminium

Stela C 24V 860 mm

24V-GARDEN LED LIGHT

EAN **4007841091996**

Accessories

ORDERING INFORMATION

Art.-Nr.	091996
EAN	4007841091996
Typ	**Stela C 24V 860 mm**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss