

zwena connect LS P350 3K

ZWENA CONNECT P

neva
lux

Product code **221550**

- For universal use for illumination of offices, schools, traffic zones, etc.
- Optionally as an intelligent Connect version with or without motion sensor, or as a conventional DALI luminaire
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- High quality finish
- Direct and indirect light distribution

neva
lux

350 x 82 mm



zwena connect LS P350 3K

Product code 221550

ZWENA CONNECT P

Technical Data

DIMENSIONS			LED colour deviation	SDCM3	Constant light output control	Yes
Dimensions Ø x H			350 x 82 mm			
Suspension length			1500 mm			
ELECTRICAL			LED colour rendering index	80-89		
Mains connection			200...240 V / 50 – 60 Hz			
Power			18 W			
Replaceable driver			Yes			
Type of wiring			Suitable for through wiring			
LED rated current			450 mA			
SENSOR TECHNOLOGY			Illuminant	LED		
With motion detector			No			
With light sensor			Yes			
CONNECTIVITY			Luminous flux	1700 lm (Down 1200, Up 500)		
With radio network control			Yes			
LIGHTING TECHNOLOGY			Beam angle	Down 95°, Up 100°		
Colour temperature			3000 K			
			Luminaire luminous efficacy	94 lm/W		
			Glare value	UGR < 18		
			LIFETIME			
			LED lifespan (25 °C)	50000 h		
			SETTINGS			
			DALI dimming	Yes		
			With emergency light	No		
			Direct/indirect ratio separately controllable	No		
			With program-controlled lighting control	Yes		
			HOUSING & MATERIAL			
			Protection class (IP)	IP20		
			Protection class	I		
			Ambient temperature	-20...45 °C		
			Housing material	Aluminum		
			Cover material	Microprismatic acrylic glass		
			Mounting type	Ceiling pendant		
			Colour	white		
			SCOPE OF DELIVERY & WARRANTY			
			Manufacturer warranty	5 years		
			CERTIFICATES & EPREL			
			EPREL energy efficiency class	F		

zwena connect LS P350 3K

Product code 221550

ZWENA CONNECT P

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221753	Emergency Package 1h (50V/1.5W/Compact/PS)	Emergency lighting
 221570	Connect TK2 BLM	Pushbutton interface
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221971	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB4	Wireless push-button

ORDERING INFORMATION

Art.-Nr.

221550

Typ

zwena connect LS P350 3K

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss