

RS PRO LED S2 IP65 neutralweiss

neva
lux

Product code **4007841055820**

E-Nr. **941000039**

- Including STEINEL LED system
- Intelligent LED cooling system
- Smart Remote remote control optional
- Optional basic lighting level 10 - 20%
- Wireless interconnection
- High-quality aluminium
- Impact-resistant material rated to IK10

neva
lux

362 x 82 mm



RS PRO LED S2 IP65 neutralweiss

Product code 4007841055820
E-Nr. 941000039

Technical Data

IDENTIFICATION		Mechanical scalability		No	SETTINGS	
Variant	Neutral white	CONNECTIVITY			Twilight switch	Yes
DIMENSIONS		Networking		Yes	Twilight setting	2 – 2000 lx
Dimensions Ø × H	362 x 82 mm	LIGHTING TECHNOLOGY			Time setting	5 sec – 15 min
ELECTRICAL		Colour temperature		4000 K	Base light function	Yes
Mains connection	220 – 240 V , 50 / 60 Hz	LED colour deviation		SDCM3	Base light function time	10/30 min, all night
Power	26 W	Colour rendering index		80-89	Functions	Neighbouring-light function, Presence function
SENSOR TECHNOLOGY		With illuminant		Yes, STEINEL LED system	HOUSING & MATERIAL	
Sensor technology	High frequency	Illuminant		LED cannot be replaced	Impact resistance	IK10
Transmission power	< 1 mW	Base		without	Protection class (IP)	IP65
With motion detector	Yes	LED cooling system		Active and Passive Thermo Control	Protection class	II
Detection	also through glass, wood and stud walls	Luminous flux		2010 lm	Ambient temperature	-10 – 50 °C
Detection angle	360 °	LIFETIME			Housing material	Aluminium
Opening angle	160 °	LED lifetime max. °C		70000 h	Cover material	Plastic, opal
Electronic scalability	Yes	Luminous flux decline per LM80		L80B10	SCOPE OF DELIVERY & WARRANTY	
					Manufacturer warranty	5 years

RS PRO LED S2 IP65 neutralweiss

Product code **4007841055820**
E-Nr. **941000039**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841055820

E-Number

941000039

Typ

RS PRO LED S2 IP65 neutralweiss

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss