

sensIQ S Anthracite

MOTION DETECTOR

neva
lux

EAN 4007841059583

E-Nr. 535940908

● steinel

128 x 114 x 74 mm



sensIQ S Anthracite

MOTION DETECTOR

EAN 4007841059583

E-Nr. 535940908

Technical Data

IDENTIFICATION		CONNECTIVITY		Settings via		ETS software Remote control	
Version	Motion detectors	Networking	Yes	With remote control	Yes	Bus Smart Remote	
DIMENSIONS		Type of networking	Master/master Master/slave	Twilight setting teach	Yes		
Dimensions L x W x H	128 x 114 x 74 mm	Networking via	KNX bus	HOUSING & MATERIAL			
SENSOR TECHNOLOGY		KNX functions	Light output 2x Presence output Light level Constant-lighting control Basic light level function Photo-cell controller Close range Individual pyro evaluation Logic gate	Ambient temperature	from -20 up to 50 °C		
Max. mounting height	5,00 m	With bus coupler	Yes	Mounting location	corner wall		
Sensor technology	passive infrared	LIGHTING TECHNOLOGY		Application location	Indoors Outdoors		
Detection angle	300 °	Soft light start	Yes	Mounting type	Surface wiring		
Opening angle	180 °	Continuous light	selectable	Material	Plastic		
Sneak-under protection	Yes	Constant light regulation	Yes	Application room	Indoors all round the building courtyard & driveway front door multi-storey / underground car park outdoors warehouse		
Segment-by-segment masking	Yes	SETTINGS		Colour	Anthracite		
Electronic scalability	No	Twilight switch	Yes	RAL colour	7016		
Mechanical scalability	Yes	Twilight setting	2 – 1000 lx	SCOPE OF DELIVERY & WARRANTY			
Range detail	Reach adjustable from 2 - 20 m in 3 directions (100° in each)	Time setting	60 s – 15 Min.	Manufacturer warranty	5 years		
Radial range	r = 4 m (42 m²)	Base light function	Yes	Corner wall bracket included	Yes		
Tangential range	r = 20 m (1047 m²)	Main light adjustable	0 - 100 %				
Mounting height	2 – 5,00 m						
Optimal mounting height	2 m						


sensIQ S Anthracite

MOTION DETECTOR

EAN 4007841059583
E-Nr. 535940908

Illustrations

TECHNICAL DRAWINGS



128 x 114 x 74 mm

MOUNTING HEIGHT

2 – 5,00 m BEREICH	2 m OPTIMAL	5,00 m MAX
-----------------------	----------------	---------------

sensIQ S Anthracite

MOTION DETECTOR

EAN 4007841059583

E-Nr. 535940908

Highlights



4x pyro system



UV-resistant plastic



Including corner wall mount



Remote control RC9 included



Smart Remote remote control optional

sensIQ S Anthracite

MOTION DETECTOR

EAN 4007841059583

E-Nr. 535940908

Accessories

ORDERING INFORMATION	
Art.-Nr.	059583
EAN	4007841059583
E-Number	535940908
Typ	sensIQ S Anthracite
neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	