L 14 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841094270

- Modern outdoor light without motion detector
- Made of UV-resistant, impact-resistant material according to IK05 for a long service life
- With E27 socket for energy-saving lamps or LED bulbs with max. 15 W (not included in delivery)
- Incl. mounting accessories - plastic-free packaging

steinel

95 x 125 x 270 mm



L 14 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841094270

Technical Data

DIMENSIONS

Dimensions L × W × H	95 x 125 x 270 mm

ELECTRICAL

Mains connection	230 – 240 V / 50 Hz
Power	15 W

SENSOR TECHNOLOGY

Max. mounting height	2,50 m
Mounting height	1,8 – 2,5 m
Optimal mounting height	2 m

CONNECTIVITY

Networking	No
Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

With illuminant	No
Base	E27

SETTINGS

With remote control	No

HOUSING & MATERIAL

Impact resistance	IK05
Protection class (IP)	IP44
Protection class	II
Ambient temperature	from -20 up to 40 °C
Housing material	Plastic
Cover material	PMMA, opal

Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Material	Plastic
Application room	outdoors
Colour	Anthracite
RAL colour	7016

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	3 years

CERTIFICATES & EPREL

EPREL category	Surrounding product without light source (luminaire)


L 14 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841094270

Illustrations

TECHNICAL DRAWINGS



95 x 125 x 270 mm

MOUNTING HEIGHT

1,8 – 2,5 m	2 m	2,50 m
BEREICH	OPTIMAL	MAX


L 14 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841094270

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 14 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841094270

Highlights



UV resistant material



Impact-resistant material rated to IK05

L 14 without motion detector

OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841094270**

Accessories

ORDERING INFORMATION

Art.-Nr.	094270
EAN	4007841094270
Typ	**L 14 without motion detector**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss