sensIQ Anthracite

MOTION DETECTOR

EAN 4007841059538
E-Nr. 535940408

steinel

172 x 113 x 144 mm



sensIQ Anthracite

MOTION DETECTOR

EAN 4007841059538
E-Nr. 535940408

Technical Data

IDENTIFICATION

Version	Motion detectors
Type of accessory	Corner adapter

DIMENSIONS

Dimensions L × W × H	172 x 113 x 144 mm

SENSOR TECHNOLOGY

Max. mounting height	5,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	300 °
Opening angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	Yes
Range detail	Reach adjustable from 2 - 20 m in 3 directions (100° in each)
Radial range	r = 4 m (42 m²)
Tangential range	r = 20 m (1047 m²)
Switching zones	1360 switching zones
Mounting height	2,00 – 5,00 m
Optimal mounting height	2 m

CONNECTIVITY

Networking	Yes
Type of networking	Master/master Master/slave
KNX functions	Light output 2x Presence output Light level Constant-lighting control Basic light level function Photo-cell controller Close range Individual pyro evaluation Logic gate
With bus coupler	Yes
Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

Soft light start	Yes
Continuous light	selectable
Constant light regulation	Yes

SETTINGS

Twilight switch	Yes
Twilight setting	2 – 1000 lx
Time setting	60 s – 255 Min.
Base light function	Yes
Base light function time	1-255 min
Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
With remote control	Yes
Twilight setting teach	Yes

HOUSING & MATERIAL

Protection class (IP)	IP54
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling corner wall
Application location	Indoors Outdoors
Mounting type	Surface wiring
Material	Plastic
Application room	Indoors all round the building courtyard & driveway front door multi-storey / underground car park outdoors warehouse
Colour	Anthracite
RAL colour	7016

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
Corner wall bracket included	Yes

CERTIFICATES & EPREL

Certificates	VDE


sensIQ Anthracite

MOTION DETECTOR

EAN 4007841059538
E-Nr. 535940408

Illustrations

TECHNICAL DRAWINGS



172 x 113 x 144 mm

MOUNTING HEIGHT


2,00 – 5,00 m	2 m	5,00 m
BEREICH	OPTIMAL	MAX

sensIQ Anthracite

MOTION DETECTOR

EAN 4007841059538
E-Nr. 535940408

Highlights



4x pyro system



Suitable for mounting on ceilings



UV-resistant plastic



Remote control RC9 included



Including corner wall mount



Smart Remote remote control optional

sensIQ Anthracite

MOTION DETECTOR

EAN **4007841059538**
E-Nr. **535940408**

Accessories

ORDERING INFORMATION

Art.-Nr.	059538
EAN	4007841059538
E-Number	535940408
Typ	**sensIQ Anthracite**

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss