

RS PRO 5100 C Slave

neva
lux

Product code **4007841052904**

E-Nr. **941000049**

- Including STEINEL LED system
- Interconnectable and adjustable via Bluetooth
- Impact-resistant material rated to IK07
- Optional basic lighting level 10 - 50 %
- Optional main light level 50 - 100%
- Adjustable mounts for easy installation

neva
lux

58 x 1370 x 87 mm



RS PRO 5100 C Slave

Product code **4007841052904**
E-Nr. **941000049**

Technical Data

DIMENSIONS		LED cooling system		Passive Thermo Control		HOUSING & MATERIAL	
Dimensions L x W x H	58 x 1370 x 87 mm	Soft light start	No			Impact resistance	IK07
ELECTRICAL		Continuous light	selectable			Protection class (IP)	IP66
Mains connection	220 – 240 V / 50 – 60 Hz	LIFETIME				Protection class	II
Power	30 W	LED lifetime max. °C	60000 h			Ambient temperature	-20 – 40 °C
Own consumption	0,4 W	Luminous flux decline per LM80	L80B10			Housing material	Plastic
SENSOR TECHNOLOGY		SETTINGS				Cover material	Plastic, structured
With motion detector	No	Twilight switch	No			Mounting location	ceiling wall
Electronic scalability	Yes	Base light function	Yes			Application location	Indoors
LIGHTING TECHNOLOGY		Base light function time	10-30 min, all night			Mounting type	Surface wiring
Measured luminous flux 360°	4206 lm	Main light adjustable	50 - 100 %			Application room	Indoors WC / washroom changing room corridor / aisle function room / ancillary room kitchenette outdoors stairwell
Colour temperature	4000 K	Settings via	Bluetooth			Colour	grey
LED colour deviation	SDCM3	With remote control	No		SCOPE OF DELIVERY & WARRANTY		
Colour rendering index	80-89	Twilight setting teach	No		Manufacturer warranty	5 years	
With illuminant	Yes, STEINEL LED system	Base light function in percent	10 – 50 %		CERTIFICATES & EPREL		
Illuminant	LED cannot be replaced	Base light function percent from	10 %		Certificates	DEKRA	
Base	without						

RS PRO 5100 C Slave

Product code **4007841052904**E-Nr. **941000049**

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841052904
----------	---------------

E-Number	941000049
----------	-----------

Typ	RS PRO 5100 C Slave
-----	---------------------

**neva
lux**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss