

IS 3360 MX Highbay KNX - Unterputz eckig

neva
lux

Product code 4007841058203

E-Nr. 535946508

- Optional remote controls
- UV-resistant plastic

neva
lux

94 x 94 x 78 mm



IS 3360 MX Highbay KNX - Unterputz eckig

Product code **4007841058203**

E-Nr. **535946508**

Technical Data

IDENTIFICATION					
Variant	KNX - concealed installation, square	Tangential range	Ø 36 m (1018 m²)	Base light function	No
Model	KNX	Switching zones	1416 switching zones	Twilight setting teach	Yes
DIMENSIONS		Mounting height	4,00 – 14,00 m	HOUSING & MATERIAL	
Dimensions L x W x H	94 x 94 x 78 mm	Optimal mounting height	12 m	Protection class (IP)	IP20
SENSOR TECHNOLOGY		CONNECTIVITY		Mounting location	ceiling
Sensor technology	passive infrared	KNX functions	Photo-cell controller, Basic light level function, Light level, HVAC output, Constant-lighting control, Light output 2x, Presence output, Day / night function	Application location	Indoors
Detection angle	360 °	With bus coupler	Yes	Mounting type	Concealed wiring
Opening angle	45 °	SETTINGS		Material	Plastic
Segment-by-segment masking	Yes	Twilight setting	2 – 1000 lx	SCOPE OF DELIVERY & WARRANTY	
Electronic scalability	No	Time setting	0 – 1092 min	Manufacturer warranty	5 years
Radial range	Ø 14 m (154 m²)			OTHER	
				Application, location, room	high-bay warehouse, sports hall

IS 3360 MX Highbay KNX - Unterputz eckig

Product code **4007841058203**
E-Nr. **535946508**

Illustrations

MOUNTING HEIGHT

4,00 – 14,00 m BEREICH	12 m OPTIMAL
---------------------------	-----------------

IS 3360 MX Highbay KNX - Unterputz eckig

Product code **4007841058203**
E-Nr. **535946508**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841058203

E-Number

535946508

Typ

IS 3360 MX Highbay KNX - Unterputz eckig

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss