

L 190 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841644512

E-Nr. 924368219

- Outdoor light with motion detector in classic design
- High-quality elaborately ornamented die-cast aluminium
- Automatic light thanks to 180 ° Infrared sensor with up to 5/12 m detection of movement
- Functions: adjustable basic light, pleasant soft light start, 4 hours continuous light
- With E27 socket for incandescent lamps with max. 100 W (not included)
- Incl. mounting accessories - plastic-free packaging

● steinel

147 x 217 x 335 mm



L 190 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841644512

E-Nr. 924368219

Technical Data

DIMENSIONS		Optimal mounting height		2 m	Base light function percent from		0 %
Dimensions L x W x H		147 x 217 x 335 mm					
ELECTRICAL		CONNECTIVITY			HOUSING & MATERIAL		
Mains connection		Networking		No	Impact resistance		IK03
Power		Slave mode adjustable		No	Protection class (IP)		IP44
Own consumption		LIGHTING TECHNOLOGY			Protection class		II
SENSOR TECHNOLOGY		With illuminant		No	Ambient temperature		from -20 up to 40 °C
Max. mounting height		Illuminant		All-purpose lamp	Housing material		Aluminium
Sensor technology		Base		E27	Cover material		Glass transparent
With motion detector		Soft light start		Yes	Cover material (scope of delivery)		shrouds
Detection angle		Continuous light		selectable, 4h	Mounting location		wall
Opening angle		SETTINGS			Application location		Outdoors
Sneak-under protection		Twilight switch		Yes	Mounting type		Surface wiring
Segment-by-segment masking		Twilight setting		2 – 200 lx	Application room		all round the building courtyard & driveway front door outdoors terrace / balcony
Electronic scalability		Time setting		5 s – 15 Min.	Colour		white
Mechanical scalability		Base light function		Yes	SCOPE OF DELIVERY & WARRANTY		
Radial range		Settings via		Potentiometers	Manufacturer warranty		3 years
Tangential range		With remote control		No			
Mounting height		Base light function in percent		0 – 50 %			

L 190 S white


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841644512

E-Nr. 924368219

Illustrations

TECHNICAL DRAWINGS



147 x 217 x 335 mm

MOUNTING HEIGHT

1,80 – 4,00 m BEREICH	2 m OPTIMAL	4,00 m MAX
--------------------------	----------------	---------------

L 190 S white


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841644512

E-Nr. 924368219

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 190 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841644512

E-Nr. 924368219

Highlights



High-quality aluminium



4-hour manual override (optional)



Intelligent soft light start



Optional basic lighting level 0 - 50 %

L 190 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841644512

E-Nr. 924368219

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841000813	Glas Set L 190 S	Spare Part
 4007841002190	Ersatz-Grundkörper L 170 S / L 190 S	Spare Part

ORDERING INFORMATION

Art.-Nr.

644512

EAN

4007841644512

E-Number

924368219

Typ

L 190 S white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss