

# RS 14 L

**neva**  
**lux**

Product code **4007841731113**

E-Nr. **920622049**

- Long-life aluminium enclosure
- High-quality opal glass shade
- max. of 5 lights can be interconnected by cable
- Impact-resistant material rated to IK07
- Facility for connecting fan

**neva**  
**lux**

280 x 110 mm



RS 14 L

Product code **4007841731113**  
E-Nr. **920622049**

Technical Data

|                              |                          |                        |                                         |                              |                |
|------------------------------|--------------------------|------------------------|-----------------------------------------|------------------------------|----------------|
| DIMENSIONS                   |                          |                        |                                         |                              |                |
| Dimensions Ø × H             | 280 x 110 mm             | Detection              | also through glass, wood and stud walls | Twilight setting             | 2 – 2000 lx    |
| ELECTRICAL                   |                          | Detection angle        | 360 °                                   | Time setting                 | 5 sec – 15 min |
| Mains connection             | 230 – 240 V , 50 / 50 Hz | Opening angle          | 160 °                                   | HOUSING & MATERIAL           |                |
| Power                        | 60 W                     | Electronic scalability | Yes                                     | Impact resistance            | IK07           |
| Switching output 1 resistive | 800 W                    | Mechanical scalability | No                                      | Protection class (IP)        | IP44           |
| SENSOR TECHNOLOGY            |                          | LIGHTING TECHNOLOGY    |                                         | Protection class             | II             |
| Sensor technology            | High frequency           | With illuminant        | No                                      | Ambient temperature          | -20 – 40 °C    |
| Transmission power           | < 1 mW                   | Illuminant             | All-purpose lamp                        | Housing material             | Aluminium      |
| With motion detector         | Yes                      | Base                   | E27                                     | Cover material               | Plastic, opal  |
|                              |                          | SETTINGS               |                                         | SCOPE OF DELIVERY & WARRANTY |                |
|                              |                          | Twilight switch        | Yes                                     | Manufacturer warranty        | 5 years        |

RS 14 L

Product code **4007841731113**  
E-Nr. **920622049**

Accessories

ORDERING INFORMATION

|          |               |
|----------|---------------|
| Art.-Nr. | 4007841731113 |
| E-Number | 920622049     |
| Typ      | RS 14 L       |

neva  
lux

nevalux AG  
Neugrütstrasse 2  
8610 Uster  
+41 44 508 78 78  
info@nevalux.swiss