

IS 3360 LiveLink - Aufputz eckig

neva
lux

Product code 4007841049362

E-Nr. 535943109

neva
lux

95 x 95 x 65 mm



IS 3360 LiveLink - Aufputz eckig

Product code **4007841049362**

E-Nr. **535943109**

Technical Data

IDENTIFICATION	
Variant	LiveLink - surface-mounted, square
Version	Motion detectors
Model	LiveLink
DIMENSIONS	
Dimensions L x W x H	95 x 95 x 65 mm
ELECTRICAL	
Mains connection	230 V, 50 / 60 Hz
Supply voltage detail	DALI bus
Livelink values	Light level, Motion detection, Presence detection
SENSOR TECHNOLOGY	
Sensor technology	passive infrared
Detection angle	360 °
Opening angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes

Electronic scalability	No
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 40 m (1257 m²)
Switching zones	1416 switching zones
Mounting height	2,50 – 4,00 m
Presence range	Ø 3 m (7 m²)
Optimal mounting height	2,8 m
CONNECTIVITY	
Networking	Yes
Number of DALI participants	3
LIGHTING TECHNOLOGY	
Constant light regulation	No
SETTINGS	
Twilight setting	2 – 1000 lx
Time setting	5 sec – 15 min
Base light function	No

Settings via	LiveLink app
With remote control	No
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP54
Ambient temperature	-20 – 50 °C
Mounting location	ceiling
Application location	Indoors Outdoors
Mounting type	Surface wiring
Material	Plastic
Colour	white
RAL colour	9003
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
OTHER	
Application, location, room	sports hall, side room, stairwell, wc, washroom, multi-storey car park, underground car park, warehouse, equipment room

IS 3360 LiveLink - Aufputz eckig

Product code 4007841049362
E-Nr. 535943109

Illustrations

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL
--------------------------	------------------

IS 3360 LiveLink - Aufputz eckig

Product code **4007841049362**
E-Nr. **535943109**

Accessories

ORDERING INFORMATION	
Art.-Nr.	4007841049362
E-Number	535943109
Typ	IS 3360 LiveLink - Aufputz eckig
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	