UA6 KNX-S universal actuator

SYSTEM COMPONENTS

EAN 4007841089160

- KNX switch actuator 6-gang / blinds actuator 3-gang for top-hat rail mounting
- Switching of electrical loads with floating contacts
- Blinds output by combining two neighbouring relay outputs
- Binary output mix with switch and blinds actuator is possible
- Switching current 16A / 140 µF, switch-on current 200 µs: 800 A
- Mounting width 72mm (4 rail units)
- 5-year product guarantee, KNX Data Secure



UA6 KNX-S universal actuator

SYSTEM COMPONENTS

EAN 4007841089160

Technical Data

IDENTIFICATION

Version	Other

ELECTRICAL

Mains connection	21 – 32 V
Capacitive load in µF	140 µF
Supply voltage detail	KNX bus

CONNECTIVITY

With bus coupler	Yes
Control technology	On/Off-Leuchte

HOUSING & MATERIAL

Protection class (IP)	IP20
Protection class	II
Ambient temperature	from -5 up to 45 °C
Housing material	Plastic
Mounting type	DRA
Colour	grey

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years

CERTIFICATES & EPREL

Certificates	EMC

UA6 KNX-S universal actuator

EAN 4007841089160

SYSTEM COMPONENTS

Accessories

ORDERING INFORMATION

Art.-Nr.	089160
EAN	4007841089160
Typ	**UA6 KNX-S universal actuator**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss