

elani connect C1500 3K

ELANI

neva
lux

Product code **221134**

- Built-in, networkable light management for next generation lighting projects
- up to 70% energy savings compared to a conventional solution thanks to constant light control and presence detection
- For universal use for lighting offices, schools, traffic zones etc.
- Variants with 1.5, 2.4 and 3.14 meter length available
- Housing Anodised aluminium
- Swiss Made

neva
lux



elani connect C1500 3K

ELANI

Product code **221134**

Technical Data

ELECTRICAL

Replaceable driver	Yes
--------------------	-----

SENSOR TECHNOLOGY

With motion detector	No
With light sensor	Yes

CONNECTIVITY

With radio network control	Yes
----------------------------	-----

SETTINGS

DALI dimming	Yes
With emergency light	No

Suitable for light band configuration	Yes
---------------------------------------	-----

CERTIFICATES & EPREL

EPREL energy efficiency class

elani connect C1500 3K

Product code 221134

ELANI

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221100	elani Diffusor 1500 CDP	Cover
 221109	Connect PD	Motion detector
 221343	elani Connector 90°	Coupler/connector L-shape
 221570	Connect TK2 BLM	Pushbutton interface
 221107	elani Link	Coupler/connector straight
 221106	elani Color RAL_NCS_1500	Other
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button

elani connect C1500 3K

Product code 221134

ELANI

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221996	elani WM-Set 2B	Mounting kit

ORDERING INFORMATION

Art.-Nr.

221134

Typ

elani connect C1500 3K

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss