

L 560 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841634216

E-Nr. 924360989

- Outdoor light with motion detector for atmospheric lighting around the house
- Glass ball made of mouth-blown crystal glass and base made of UV-resistant plastic
- Automatic light thanks to 140 ° Infrared sensor with up to 10 m detection of movement
- Detection area and range can be individually limited using the cover stickers supplied and the swivelling sensor (70° vertical/130° horizontal)
- With E27 socket for incandescent lamps with max. 60 W (not included)
- Incl. mounting accessories - plastic-free packaging

 **steinel**

243 x 215 x 368 mm



L 560 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841634216

E-Nr. 924360989

Technical Data

DIMENSIONS				HOUSING & MATERIAL	
Dimensions L x W x H	243 x 215 x 368 mm	Mounting height	1,80 – 3,00 m	Impact resistance	IK03
ELECTRICAL		Optimal mounting height	2 m	Protection class (IP)	IP44
Mains connection	230 – 240 V / 50 Hz	CONNECTIVITY		Protection class	II
Power	60 W	Networking	No	Ambient temperature	from -20 up to 40 °C
Own consumption	0,55 W	Slave mode adjustable	No	Housing material	Plastic
SENSOR TECHNOLOGY		LIGHTING TECHNOLOGY		Cover material	Glass transparent
Max. mounting height	3,00 m	With illuminant	No	Cover material (scope of delivery)	sticker
Sensor technology	passive infrared	Illuminant	All-purpose lamp	Mounting location	wall
With motion detector	Yes	Base	E27	Application location	Outdoors
Detection angle	140 °	Soft light start	No	Mounting type	Surface wiring
Sneak-under protection	No	SETTINGS		Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
Segment-by-segment masking	Yes	Twilight switch	Yes	Colour	black
Electronic scalability	No	Twilight setting	2 – 2000 lx	SCOPE OF DELIVERY & WARRANTY	
Mechanical scalability	No	Time setting	8 s – 35 Min.	Manufacturer warranty	3 years
Radial range	r = 5 m (31 m²)	Base light function	No		
Tangential range	r = 12 m (176 m²)	Settings via	Potentiometers		
		With remote control	No		

L 560 S black


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841634216

E-Nr. 924360989

Illustrations

TECHNICAL DRAWINGS



243 x 215 x 368 mm

MOUNTING HEIGHT

1,80 – 3,00 m BEREICH	2 m OPTIMAL	3,00 m MAX
--------------------------	----------------	---------------

L 560 S black


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841634216

E-Nr. 924360989

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 560 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841634216

E-Nr. 924360989

Highlights



UV-resistant plastic

L 560 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841634216

E-Nr. 924360989

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841003548	Ersatzglas für L 70X/L 590/L 535/L 585/L 560/L 595	Spare Part

ORDERING INFORMATION	
Art.-Nr.	634216
EAN	4007841634216
E-Number	924360989
Typ	L 560 S black

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss