

L 10 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841084769

E-Nr. 920200019

- Outdoor light with motion detector in classic design
- With integrated reflector foil under the lid for optimum illumination
- Automatic light thanks to 180° infrared sensor in housing colour with up to 7.5 m detection on movement
- Detection area and range can be individually limited by means of the cover clips provided
- With E27 socket for LED bulb with max. 15 W (not included in delivery)
- Incl. mounting accessories - plastic-free packaging

● steinel

224 x 175 x 255 mm



L 10 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841084769

E-Nr. 920200019

Technical Data

DIMENSIONS	
Dimensions L x W x H	224 x 175 x 255 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	15 W
Fluorescent lamps ECG	1000 W
Fluorescent lamps uncompensated	500 VA
Fluorescent lamps series-compensated	500 VA
Fluorescent lamps parallel-compensated	500 VA
Switching output 1 low-voltage halogen lamps	1000 VA
LED lamps < 2 W	16 W
LED lamps > 2 W < 8 W	64 W
LED lamps > 8 W	64 W
Capacitive load in µF	132 µF
SENSOR TECHNOLOGY	
Max. mounting height	3,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	180 °
Radial range	r = 3 m (14 m²)

Tangential range	r = 7.5 m (88 m²)
Mounting height	2,0 – 3,0 m
Optimal mounting height	2,5 m
CONNECTIVITY	
Networking	Yes
Networking via	Cable
Slave mode adjustable	No
LIGHTING TECHNOLOGY	
With illuminant	No
Illuminant	All-purpose lamp
Base	E27
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Time setting	5 s – 60 Min.
Base light function	No
Main light adjustable	No
Functions	Motions sensor
Settings via	Potentiometers
With remote control	No
Twilight setting teach	No

HOUSING & MATERIAL	
Impact resistance	IK03
Protection class (IP)	IP44
Protection class	II
Ambient temperature	from -20 up to 40 °C
Housing material	Plastic
Cover material	Plastic, structured
Cover material (scope of delivery)	Cover clips
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Material	Plastic
Application room	all round the building courtyard & driveway front door terrace / balcony
Colour	black
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years
House number sheet included	No
CERTIFICATES & EPREL	
EPREL category	Surrounded product with separate light source (e.g. E27)

L 10 S black


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841084769

E-Nr. 920200019

Illustrations

TECHNICAL DRAWINGS



224 x 175 x 255 mm

MOUNTING HEIGHT

2,0 – 3,0 m BEREICH	2,5 m OPTIMAL	3,00 m MAX
---	-------------------------------------	----------------------------------

L 10 S black


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841084769

E-Nr. 920200019


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2



Master/slave interconnection circuit diagram

L 10 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841084769

E-Nr. 920200019

Accessories

ORDERING INFORMATION	
Art.-Nr.	084769
EAN	4007841084769
E-Number	920200019
Typ	L 10 S black

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss