

# L 15 S black

## E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva  
lux

EAN 4007841617813

E-Nr. 924368249

- Outdoor light with motion detector in classic design
- Made of high-quality, UV-resistant plastic with nostalgic details
- Automatic light thanks to 180 ° Infrared sensor with up to 10 m detection of movement
- Detection area and range can be individually limited using the cover stickers supplied and the swivelling sensor (90° vertical)
- With E27 socket for incandescent lamps with max. 60 W as well as for energy-saving lamps or LED bulbs with max. 20 W (not included in the scope of delivery)
- Incl. mounting accessories - plastic-free packaging

● steinel

243 x 188 x 410 mm



L 15 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841617813

E-Nr. 924368249

Technical Data

DIMENSIONS

Dimensions L x W x H243 x 188 x 410 mm

ELECTRICAL

Mains connection230 – 240 V / 50 Hz

Power60 W

Own consumption0,55 W

SENSOR TECHNOLOGY

Max. mounting height3,00 m

Sensor technologypassive infrared

With motion detectorYes

Detection angle180 °

Sneak-under protectionYes

Segment-by-segment maskingYes

Electronic scalabilityNo

Mechanical scalabilityNo

Radial range r = 3 m (14 m²)

Tangential range r = 10 m (157 m²)

Mounting height1,80 – 3,00 m

Optimal mounting height2 m

CONNECTIVITY

NetworkingNo

Slave mode adjustableNo

LIGHTING TECHNOLOGY

With illuminantNo

IlluminantAll-purpose lamp

BaseE27

Soft light startNo

SETTINGS

Twilight switchYes

Twilight setting2 – 2000 lx

Time setting8 s – 35 Min.

Base light functionNo

Settings viaPotentiometers

With remote controlNo

Twilight setting teachNo

HOUSING & MATERIAL

Impact resistanceIK03

Protection class (IP)IP44

Protection classII

Ambient temperaturefrom -20 up to 40 °C

Housing materialPlastic

Cover materialPlastic, transparent

Cover material (scope of delivery)sticker

Mounting locationwall

Application locationOutdoors

Mounting typeSurface wiring

Application roomall round the building  
courtyard & driveway front  
door outdoors terrace /  
balcony

Colourblack

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty3 years

CERTIFICATES & EPREL

EPREL categorySurrounded product with  
separate light source (e.g.  
E27)

L 15 S black


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841617813

E-Nr. 924368249

Illustrations

TECHNICAL DRAWINGS



243 x 188 x 410 mm

MOUNTING HEIGHT

|                          |                |               |
|--------------------------|----------------|---------------|
| 1,80 – 3,00 m<br>BEREICH | 2 m<br>OPTIMAL | 3,00 m<br>MAX |
|--------------------------|----------------|---------------|

# L 15 S black


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841617813

E-Nr. 924368249

## Wiring Diagrams

### WIRING DIAGRAM 1



Circuit diagram

# L 15 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841617813

E-Nr. 924368249

## Highlights



UV-resistant plastic

L 15 S black

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841617813

E-Nr. 924368249

Accessories

| ORDERING INFORMATION |               |
|----------------------|---------------|
| Art.-Nr.             | 617813        |
| EAN                  | 4007841617813 |
| E-Number             | 924368249     |
| Typ                  | L 15 S black  |

neva  
lux

nevalux AG  
Neugrütstrasse 2  
8610 Uster  
+41 44 508 78 78  
info@nevalux.swiss