# PD IR 4360-8 COM1 - surface white

**MOTION AND PRESENCE DETECTOR**

EAN 4007841085049
E-Nr. 535900002

- Our series for the common ranges
- Presence detector with 8 m motion detection and 6 m presence detection for switching light
- Ideal for offices, meeting rooms or passageways
- Includes insertable cover caps to limit the detection range
- Installation-friendly, thanks to round design and modular system with magnetic plug-in connection
- Key input and parallel switching of multiple sensors to expand the detection range
- External approval and measurement in accordance with sensNORM

steinel

129 x 65 mm



# PD IR 4360-8 COM1 - surface white

**MOTION AND PRESENCE DETECTOR**

EAN **4007841085049**
E-Nr. **535900002**

# Technical Data

## IDENTIFICATION

| | |
|---|---|
| Version | **Motion and Presence Detector** |

## DIMENSIONS

| | |
|---|---|
| Dimensions Ø × H | **129 x 65 mm** |

## ELECTRICAL

| | |
|---|---|
| Mains connection | **50 – 60 Hz** |
| Switching output 1 resistive | **2000 W** |
| LED lamps > 8 W | **500 W** |
| Capacitive load in µF | **176 µF** |
| Switching output 1 number of LED/fluorescent lamps | **50 pcs.** |

## SENSOR TECHNOLOGY

| | |
|---|---|
| Max. mounting height | **4,00 m** |
| Sensor technology | **passive infrared** |
| With motion detector | **Yes** |
| Detection angle | **360 °** |
| Sneak-under protection | **Yes** |
| Segment-by-segment masking | **Yes** |
| Electronic scalability | **No** |
| Mechanical scalability | **No** |
| Radial range | **Ø 4.5 m (16 m²)** |
| Tangential range | **Ø 8 m (50 m²)** |
| Switching zones | **492 switching zones** |
| Mounting height | **2 – 4 m** |
| Presence range | **Ø 6 m (28 m²)** |
| Optimal mounting height | **2,8 m** |

## CONNECTIVITY

| | |
|---|---|
| Networking | **Yes** |
| Type of networking | **Master/master** |
| Networking quantity | **max. 10 sensors** |

## LIGHTING TECHNOLOGY

| | |
|---|---|
| Soft light start | **Yes** |
| Constant light regulation | **No** |

## SETTINGS

| | |
|---|---|
| Twilight switch | **Yes** |
| Twilight setting | **2 – 1000 lx** |
| Time setting | **5 s – 60 Min.** |
| Main light adjustable | **No** |
| Functions | **Motions sensor Light sensor Presence function Presence detector logic Semi-/fully automatic Potentiometer Relay output Normal / test mode** |
| Settings via | **Remote control Smart Remote Potentiometers** |
| With remote control | **No** |
| Twilight setting teach | **Yes** |

## HOUSING & MATERIAL

| | |
|---|---|
| Protection class (IP) | **IP54** |
| Ambient temperature | **from -20 up to 50 °C** |
| Housing material | **Plastic** |
| Cover material | **Other** |
| Cover material (scope of delivery) | **shrouds** |
| Mounting location | **ceiling** |
| Application location | **Indoors** |
| Mounting type | **Surface wiring** |
| Material | **Plastic** |
| Application room | **Indoors function room / ancillary room one-person office warehouse** |
| Colour | **white** |
| RAL colour | **9010** |

## SCOPE OF DELIVERY & WARRANTY

| | |
|---|---|
| Manufacturer warranty | **5 years** |
| Corner wall bracket included | **No** |


# PD IR 4360-8 COM1 - surface white

**MOTION AND PRESENCE DETECTOR**

EAN **4007841085049**
E-Nr. **535900002**

## Illustrations

### TECHNICAL DRAWINGS




129 x 65 mm

### MOUNTING HEIGHT

| 2 – 4 m | 2,8 m | 4,00 m |
|---|---|---|
| BEREICH | OPTIMAL | MAX |


# PD IR 4360-8 COM1 - surface white

**MOTION AND PRESENCE DETECTOR**

EAN **4007841085049**
E-Nr. **535900002**

## Wiring Diagrams

### WIRING DIAGRAM 1




Circuit diagram

### WIRING DIAGRAM 2




Circuit diagram for interconnecting max. 10 sensors

# PD IR 4360-8 COM1 - surface white

MOTION AND PRESENCE DETECTOR

EAN 4007841085049
E-Nr. 535900002

## Accessories

| | ARTICLE NUMBER | DESCRIPTION | CATEGORY |
|---|---|---|---|
|  | 4007841079543 | **Deckeneinbau-Adapter Deckeneinbau** | Accessory |
|  | 4007841009151 | **Smart Remote** | Accessory |
|  | 4007841592806 | **Nutzer Fernbedienung RC5** | Accessory |
|  | 4007841559410 | **Service Fernbedienung RC8** | Accessory |

### ORDERING INFORMATION

| | |
|---|---|
| Art.-Nr. | 085049 |
| EAN | 4007841085049 |
| E-Number | 535900002 |
| Typ | **PD IR 4360-8 COM1 - surface white** |

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss