

L 585 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841035723

E-Nr. 941200609

- Outdoor light with motion detector for atmospheric lighting around the house
- Glass ball made of mouth-blown crystal glass and base made of UV-resistant plastic
- Automatic light thanks to 180 ° Infrared sensor with up to 10 m detection of movement
- Detection area and range can be individually limited using the cover stickers supplied and the swivelling sensor (70° vertical)
- With E27 socket for incandescent lamps with max. 60 W (not included)
- Incl. mounting accessories - plastic-free packaging

● steinel

229 x 215 x 312 mm



L 585 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035723

E-Nr. 941200609

Technical Data

DIMENSIONS	
Dimensions L x W x H	229 x 215 x 312 mm
ELECTRICAL	
Mains connection	230 – 240 V / 50 Hz
Power	60 W
Own consumption	0,55 W
SENSOR TECHNOLOGY	
Max. mounting height	3,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	r = 3 m (14 m²)
Tangential range	r = 10 m (157 m²)

Mounting height	1,80 – 3,00 m
Optimal mounting height	2 m
CONNECTIVITY	
Networking	No
Slave mode adjustable	No
LIGHTING TECHNOLOGY	
With illuminant	No
Illuminant	All-purpose lamp
Base	E27
Soft light start	No
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Time setting	8 s – 35 Min.
Base light function	No
Settings via	Potentiometers
With remote control	No

HOUSING & MATERIAL	
Impact resistance	IK03
Protection class (IP)	IP44
Protection class	II
Ambient temperature	from -20 up to 40 °C
Housing material	Plastic
Cover material	Glass transparent
Cover material (scope of delivery)	sticker
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years

L 585 S Anthracite


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035723

E-Nr. 941200609

Illustrations

TECHNICAL DRAWINGS



229 x 215 x 312 mm

MOUNTING HEIGHT

1,80 – 3,00 m BEREICH	2 m OPTIMAL	3,00 m MAX
--------------------------	----------------	---------------

L 585 S Anthracite


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035723

E-Nr. 941200609

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 585 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841035723**

E-Nr. **941200609**

Highlights



UV-resistant plastic

L 585 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035723

E-Nr. 941200609

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841003548	Ersatzglas für L 70X/L 590/L 535/L 585/L 560/L 595	Spare Part

ORDERING INFORMATION

Art.-Nr.

035723

EAN

4007841035723

E-Number

941200609

Typ

L 585 S Anthracite

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss