

Hallway BT IPD - concealed

PRESENCE DETECTOR

neva
lux

EAN 4007841086282

E-Nr. 535903116

- Perfect radial detection with a range of up to 25 m, ideal for long corridors and hallways
- Customisable range that can be set individually in both directions
- Control PRO II design for a modern and functional look that enables versatile applications
- Bluetooth technology for simple connection and control via Bluetooth
- Multiple interfaces, compatible with COM1, COM2, DALI-2 APC, DALI-2 IPD, KNX, IP and BT IPD
- External light measurement required for black sensors that can be integrated via Bluetooth or KNX

● steinel

67 x 103 x 103 mm




Hallway BT IPD - concealed

PRESENCE DETECTOR

EAN 4007841086282
E-Nr. 535903116

Illustrations

TECHNICAL DRAWINGS



67 x 103 x 103 mm

MOUNTING HEIGHT

2 – 4 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------	------------------	---------------

Hallway BT IPD - concealed


PRESENCE DETECTOR

EAN 4007841086282

E-Nr. 535903116

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

Hallway BT IPD - concealed

PRESENCE DETECTOR

EAN 4007841086282

E-Nr. 535903116

Highlights



UV-resistant plastic

Hallway BT IPD - concealed

PRESENCE DETECTOR

EAN 4007841086282

E-Nr. 535903116

Accessories

ORDERING INFORMATION	
Art.-Nr.	086282
EAN	4007841086282
E-Number	535903116
Typ	Hallway BT IPD - concealed
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	