

Stela C 24V 860 mm

24V-GARDEN LED LIGHT

neva
lux

EAN 4007841091996

Your garden. Your light. With the 24V garden lighting system, you can make your outdoor area shine. Simply connect the light, cable and power supply unit and set via the STEINEL Connect app.

- Stylish coloured lighting accents: 24V bollard light 860 mm
- Automatic lighting: Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- STEINEL Connect App: Easy configuration and networking of multiple lights via Bluetooth
- True Color: true-to-life color rendering in warm white, cool white and color, dimmable for flexible lighting scenes
- Plug & Play: All components can be connected quickly and without tools, and can be expanded as desired
- Well planned: This light consumes 9,2 W. To operate it, you'll need a 24V power supply that matches the total power requirement – not included.

● steinel

130 x 130 x 860 mm



Stela C 24V 860 mm

24V-GARDEN LED LIGHT

EAN 4007841091996

Technical Data

DIMENSIONS		LIFETIME		Protection class		III
Dimensions L x W x H	130 x 130 x 860 mm	LED lifetime L70B50 25°C	> 60000 h	Ambient temperature	from -20 up to 40 °C	
ELECTRICAL		Average rated power supply lifetime at 25 °C	> 60000 h	Housing material	Aluminium	
Power	9,2 W	SETTINGS		Cover material	Plastic, structured	
SENSOR TECHNOLOGY		Twilight switch	Yes	Mounting location	Floor	
With motion detector	No	Twilight setting	2 – 2000 lx	Application location	Outdoors	
CONNECTIVITY		Main light adjustable	10 - 100 %	Mounting type	Other	
Networking	Yes	Functions	DIM function Color temperature change Group parameterisation Light sensor Neighbouring group function Push button configuration Pushbutton / switch mode	Material	Aluminium	
Networking via	Bluetooth Mesh			Application room	garden outdoors terrace / balcony	
LIGHTING TECHNOLOGY				Colour	Anthracite	
Efficiency	58 lm/W			SCOPE OF DELIVERY & WARRANTY		
Colour temperature	all colors + 1800-4000 K	Settings via	Bluetooth Mesh	Manufacturer warranty	3 years	
LED colour deviation	SDCM3	With remote control	No	House number sheet included	No	
Colour rendering index	= 83	Twilight setting teach	Yes	CERTIFICATES & EPREL		
With illuminant	Yes, STEINEL LED system	HOUSING & MATERIAL		Certificates	TSU	
Illuminant	LED cannot be replaced	Protection class (IP)	IP65	EPREL category	Surrounded product with integrated light source	
Continuous light	selectable					


Stela C 24V 860 mm

EAN 4007841091996

24V-GARDEN LED LIGHT

Illustrations

TECHNICAL DRAWINGS



130 x 130 x 860 mm

Stela C 24V 860 mm


24V-GARDEN LED LIGHT

EAN 4007841091996

Highlights



Plug&Play - Easy to install



True Color



Dimmable lighting



360° light illumination



High-quality aluminium

Stela C 24V 860 mm

EAN 4007841091996

24V-GARDEN LED LIGHT

Accessories

ORDERING INFORMATION	
Art.-Nr.	091996
EAN	4007841091996
Typ	Stela C 24V 860 mm
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	