

L 595 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841094959

- Outdoor light with motion detector for atmospheric lighting around the house
- Glass ball made of mouth-blown crystal glass and base made of UV-resistant plastic
- Automatic light thanks to 180 ° Infrared sensor with up to 10 m detection of movement
- Detection area and range can be individually limited using the cover stickers supplied and the swivelling sensor (70° vertical)
- Sensor coloured in inconspicuous housing colour
- With E27 socket for incandescent lamps with max. 60 W (not included)
- Incl. mounting accessories - plastic-free packaging

● steinel

229 x 215 x 312 mm



L 595 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841094959

Technical Data

DIMENSIONS		Mounting height		1,80 – 3,00 m		HOUSING & MATERIAL					
Dimensions L × W × H		229 x 215 x 312 mm		Optimal mounting height		2 m		Impact resistance		IK03	
ELECTRICAL				CONNECTIVITY				Protection class (IP)		IP44	
Mains connection		230 – 240 V / 50 Hz		Networking		No		Protection class		II	
Power		60 W		Slave mode adjustable		No		Ambient temperature		from -20 up to 40 °C	
Own consumption		0,55 W		LIGHTING TECHNOLOGY				Housing material		Plastic	
SENSOR TECHNOLOGY				With illuminant		No		Cover material		Glass transparent	
Max. mounting height		3,00 m		Illuminant		All-purpose lamp		Cover material (scope of delivery)		sticker	
Sensor technology		passive infrared		Base		E27		Mounting location		wall	
With motion detector		Yes		Soft light start		No		Application location		Outdoors	
Detection angle		180 °		SETTINGS				Mounting type		Surface wiring	
Sneak-under protection		Yes		Twilight switch		Yes		Application room		all round the building courtyard & driveway front door outdoors terrace / balcony	
Segment-by-segment masking		Yes		Twilight setting		2 – 2000 lx		Colour		Anthracite	
Electronic scalability		No		Time setting		8 s – 35 Min.		SCOPE OF DELIVERY & WARRANTY			
Mechanical scalability		No		Base light function		No		Manufacturer warranty		3 years	
Radial range		r = 3 m (14 m²)		Settings via		Potentiometers					
Tangential range		r = 10 m (157 m²)		With remote control		No					


L 595 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841094959

Illustrations

TECHNICAL DRAWINGS



229 x 215 x 312 mm

MOUNTING HEIGHT

1,80 – 3,00 m BEREICH	2 m OPTIMAL	3,00 m MAX
--------------------------	----------------	---------------


L 595 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841094959

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 595 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841094959

Accessories

ORDERING INFORMATION	
Art.-Nr.	094959
EAN	4007841094959
Typ	L 595 S Anthracite
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	