XLED PRO Expanse without motion detector - anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841091224
E-Nr. 941463409

- Wide-angle panoramic illumination thanks to three powerful LED light surfaces
- Ideal for courtyards and driveways
- High light output with 1642 lm and 13,6 W in warm white light (3000 K)
- Flexibly adjustable: spotlight can be fully rotated, tilted and locked in place
- Robust construction with IP54 protection and IK03 impact resistance
- Corner wall brackets available as an option

steinel

195 x 195 x 174 mm



XLED PRO Expanse without motion detector - anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841091224**
E-Nr. **941463409**

Technical Data

DIMENSIONS

Dimensions L × W × H	**195 x 195 x 174 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**13,6 W**

CONNECTIVITY

Networking	**Yes**
Type of networking	**Sensor/slave**
Networking via	**Kabel**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**1642 lm**
Colour temperature	**3000 K**
Colour rendering index	**= 82**
With illuminant	**Yes, LED lamp**
Soft light start	**No**

LIFETIME

LED lifetime L70B50 25°C	**> 60000 h**

SETTINGS

Base light function	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP54**
Protection class	**II**
Ambient temperature	**from -20 up to 40 °C**
Housing material	**Polycarbonate**
Mounting location	**wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Material	**Plastic**
Application room	**all round the building courtyard & driveway front door garden sports hall terrace / balcony warehouse**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**
Corner wall bracket included	**No**

CERTIFICATES & EPREL

Certificates	**DEKRA**
EPREL energy efficiency class	**E**
EPREL category	**Light source**


XLED PRO Expanse without motion detector - anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841091224**
E-Nr. **941463409**

Illustrations

TECHNICAL DRAWINGS



195 x 195 x 174 mm


XLED PRO Expanse without motion detector - anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841091224**
E-Nr. **941463409**

Wiring Diagrams

WIRING DIAGRAM 1



Master/slave interconnection circuit diagram

XLED PRO Expanse without motion detector - anthracite

LED FLOODLIGHT WITHOUT SENSOR

EAN **4007841091224**
E-Nr. **941463409**

Accessories

ORDERING INFORMATION

Art.-Nr.	091224
EAN	4007841091224
E-Number	941463409

Typ **XLED PRO Expanse without motion detector - anthracite**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss