

XLED home 2 XL SL schwarz



Product code OLD-4007841032807

- Including STEINEL LED system
- HCMC cooling system
- UV-resistant plastic
- Colour rendering index Ra =80

neva
lux

199 x 180 x 161 mm



XLED home 2 XL SL schwarz

Product code **OLD-4007841032807**

Technical Data

IDENTIFICATION		LED colour deviation		SDCM3	SETTINGS	
Variant	black	Colour rendering index		80-89	Twilight switch	No
DIMENSIONS		With illuminant		Yes, STEINEL LED system	Base light function	
Dimensions L x W x H		199 x 180 x 161 mm	Illuminant		LED cannot be replaced	
ELECTRICAL		LED cooling system		HCMC (High Conductive Magnesium Composite)	HOUSING & MATERIAL	
Mains connection	230 – 240 V , 50 / 60 Hz	Continuous light		selectable	Impact resistance	IK00
Power	20 W	Luminous flux		1608 lm	Protection class (IP)	IP44
SENSOR TECHNOLOGY		LIFETIME			Protection class	II
Max. mounting height	4,00 m	LED lifetime max. °C		50000 h	Ambient temperature	-20 – 40 °C
With motion detector	No	Luminous flux decline per LM80		L70B10	Housing material	HCMC
LIGHTING TECHNOLOGY					Cover material	Plastic, opal
Colour temperature	4000 K				SCOPE OF DELIVERY & WARRANTY	
					Manufacturer warranty	5 years

XLED home 2 XL SL schwarz

Product code **OLD-4007841032807**

Illustrations

MOUNTING HEIGHT



XLED home 2 XL SL schwarz

Product code **OLD-4007841032807**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841055875	Eckwandhalter XLED Home 2/ Protect/ Pro 240 schwarz	Accessory

ORDERING INFORMATION

Art.-Nr.

OLD-4007841032807

Typ

XLED home 2 XL SL schwarz

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss