L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

- Outdoor light with motion detector for atmospheric lighting around the house
- Glass ball made of mouth-blown crystal glass and base made of UV-resistant plastic
- Automatic light thanks to 240 ° Infrared sensor with up to 12 m detection of movement
- Functions: adjustable basic light, pleasant soft light start, 4 hours continuous light
- With E27 socket for incandescent lamps with max. 60 W (not included)
- Incl. mounting accessories - plastic-free packaging

257 x 215 x 330 mm



L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Technical Data

DIMENSIONS

Dimensions L × W × H	257 x 215 x 330 mm

ELECTRICAL

Mains connection	230 – 240 V / 50 Hz
Power	60 W
Own consumption	0,7 W

SENSOR TECHNOLOGY

Max. mounting height	6,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	240 °
Opening angle	120 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	r = 5 m (52 m²)
Tangential range	r = 12 m (302 m²)
Mounting height	1,80 – 6,00 m
Optimal mounting height	2 m

CONNECTIVITY

Networking	No
Slave mode adjustable	No
Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

With illuminant	No
Illuminant	All-purpose lamp
Base	E27
Soft light start	Yes
Continuous light	selectable, 4h

SETTINGS

Twilight switch	Yes
Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes
Settings via	Potentiometers
With remote control	No
Base light function in percent	0 – 50 %
Base light function percent from	0 %

HOUSING & MATERIAL

Impact resistance	IK03
Protection class (IP)	IP44
Protection class	II
Ambient temperature	from -20 up to 50 °C
Housing material	Plastic
Cover material	Glass transparent
Cover material (scope of delivery)	shrouds
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
Colour	Anthracite

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	3 years


L 115 S Anthracite

EAN 4007841059880

E27 SENSOR-SWITCHED OUTDOOR LIGHT

Illustrations

TECHNICAL DRAWINGS



257 x 215 x 330 mm

MOUNTING HEIGHT

1,80 – 6,00 m	2 m	6,00 m
BEREICH	OPTIMAL	MAX


L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Highlights



Optional basic lighting level 0 - 50 %



UV-resistant plastic

Intelligent soft light start



4-hour manual override (optional)

L 115 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841059880

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841001681	**Ersatzglas für L 115 S**	Spare Part

ORDERING INFORMATION

Art.-Nr.	059880
EAN	4007841059880
Typ	**L 115 S Anthracite**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss