

L 160 LED Glas

neva
lux

Product code **4007841055905**

E-Nr. **941000019**

- Including STEINEL LED system
- High-quality opal glass shade

neva
lux

310 x 125 mm



L 160 LED Glas

Product code **4007841055905**
E-Nr. **941000019**

Technical Data

DIMENSIONS				SETTINGS	
Dimensions Ø × H	310 x 125 mm	LED colour deviation	SDCM3	Twilight switch	Yes
ELECTRICAL		Colour rendering index	90-100	Base light function	No
Mains connection	220 – 240 V , 50 / 60 Hz	With illuminant	Yes, STEINEL LED system	HOUSING & MATERIAL	
Power	9 W	Illuminant	LED cannot be replaced	Impact resistance	IK00
SENSOR TECHNOLOGY		Base	without	Protection class (IP)	IP44
With motion detector	No	LED cooling system	Passive Thermo Control	Protection class	II
Electronic scalability	No	Luminous flux	1000 lm	Ambient temperature	-10 – 40 °C
Mechanical scalability	No	LIFETIME		Housing material	Plastic
LIGHTING TECHNOLOGY		LED lifetime max. °C	50000 h	Cover material	Glass opal
Colour temperature	3000 K	Luminous flux decline per LM80	L70B10	SCOPE OF DELIVERY & WARRANTY	
				Manufacturer warranty	3 years

L 160 LED Glas

Product code **4007841055905**
E-Nr. **941000019**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841053987	RS 160 LED Glas	
 4007841055899	L 16 LED Glas	

ORDERING INFORMATION

Art.-Nr.

4007841055905

E-Number

941000019

Typ

L 160 LED Glas

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss