

HF 3360 LiveLink - Aufputz rund

neva
lux

Product code 4007841055639

E-Nr. 535943507

- Large terminal compartment
- Optional remote controls

neva
lux

126 x 52 mm



HF 3360 LiveLink - Aufputz rund

Product code 4007841055639
E-Nr. 535943507

Technical Data

IDENTIFICATION		Electronic scalability		Yes	With remote control		No
Variant	LiveLink - surface-mounted installation, round	Mechanical scalability		No	Twilight setting teach		Yes
Version	Motion detectors	Radial range		Ø 8 m (50 m²)	HOUSING & MATERIAL		
Model	LiveLink	Tangential range		Ø 8 m (50 m²)	Protection class (IP)		IP54
DIMENSIONS		Mounting height		2,00 – 4,00 m	Ambient temperature		-20 – 50 °C
Dimensions Ø × H		Optimal mounting height		2,8 m	Mounting location		ceiling corner wall
ELECTRICAL		CONNECTIVITY			Application location		Indoors
Mains connection	230 V, 50 / 60 Hz	Networking		Yes	Mounting type		Surface wiring
Supply voltage detail	DALI bus	Number of DALI participants		5	Material		Plastic
SENSOR TECHNOLOGY		LIGHTING TECHNOLOGY			Colour		white
Sensor technology	High frequency	Constant light regulation		No	RAL colour		9003
HF technology	5,8 GHz	SETTINGS			SCOPE OF DELIVERY & WARRANTY		
Detection	also through glass, wood and stud walls	Twilight setting		2 – 1000 lx	Manufacturer warranty		5 years
Detection angle	360 °	Time setting		5 sec – 15 min	OTHER		
Opening angle	140 °	Base light function		No	Application, location, room		side room, stairwell, wc, washroom, multi-storey car park, underground car park, equipment room
Sneak-under protection	Yes	Settings via		LiveLink app			

HF 3360 LiveLink - Aufputz rund

Product code **4007841055639**
E-Nr. **535943507**

Illustrations

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	2,8 m OPTIMAL
--------------------------	------------------

HF 3360 LiveLink - Aufputz rund

Product code **4007841055639**E-Nr. **535943507**

Accessories

ORDERING INFORMATION

Art.-Nr. 4007841055639

E-Number 535943507

Typ **HF 3360 LiveLink - Aufputz rund**

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss