Light Sensor Dual DALI-2 Input Device - concealed, rd.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841057442
E-Nr. 535900050

steinel

124 x 51 mm



Light Sensor Dual DALI-2 Input Device - concealed, rd.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841057442
E-Nr. 535900050

Technical Data

IDENTIFICATION

Version	Constant-lighting controller

DIMENSIONS

Dimensions Ø × H	124 x 51 mm

ELECTRICAL

Mains connection	12 – 22,5 V
Supply voltage detail	DALI bus
Control output DALI	Addressable/slave

SENSOR TECHNOLOGY

Max. mounting height	4,00 m
Sensor technology	Light sensor
With motion detector	No
Mounting height	2,00 – 4,00 m

CONNECTIVITY

Networking	Yes
Type of networking	Master/slave
Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

Soft light start	No
Constant light regulation	No

SETTINGS

Twilight switch	Yes
Twilight setting	2 – 1000 lx
Base light function	No
Main light adjustable	No
Settings via	Bus
Twilight setting teach	No

HOUSING & MATERIAL

Protection class (IP)	IP20
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling wall
Application location	Indoors Outdoors
Mounting type	Concealed wiring
Material	Plastic
Application room	Indoors classroom conference room / meeting room high-bay warehouse one-person office open-plan office
Colour	white
RAL colour	9003

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
Corner wall bracket included	No

CERTIFICATES & EPREL

Certificates	DALI-2


Light Sensor Dual DALI-2 Input Device - concealed, rd.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN **4007841057442**
E-Nr. **535900050**

Illustrations

TECHNICAL DRAWINGS



124 x 51 mm

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	4,00 m MAX


Light Sensor Dual DALI-2 Input Device - concealed, rd.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841057442
E-Nr. 535900050

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

Light Sensor Dual DALI-2 Input Device - concealed, rd.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN 4007841057442
E-Nr. 535900050

Highlights



UV-resistant plastic

Light Sensor Dual DALI-2 Input Device - concealed, rd.

PHOTOELECTRIC LIGHTING CONTROLLER

EAN **4007841057442**
E-Nr. **535900050**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841009151	**Smart Remote**	Accessory
	4007841056742	**Schwarze Blende für IR-Sensoren Unterputz rund**	Accessory

ORDERING INFORMATION

Art.-Nr.	057442
EAN	4007841057442
E-Number	535900050
Typ	**Light Sensor Dual DALI-2 Input Device - concealed, rd.**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss