

True Presence Multipack (48 pieces) COM1 - surface white

neva
lux**PRESENCE DETECTOR**

EAN 4007841085520

 **steinel**

True Presence Multipack (48 pieces) COM1 - surface white

EAN 4007841085520

PRESENCE DETECTOR

Technical Data

IDENTIFICATION		Electronic scalability		Yes	With remote control		No
Version	Presence detector	Mechanical scalability		No	Twilight setting teach		Yes
ELECTRICAL		Radial range		Ø 15 m (177 m²)	HOUSING & MATERIAL		
Mains connection	220 – 240 V / 50 – 60 Hz	Tangential range		Ø 15 m (177 m²)	Protection class (IP)		IP54
Switching output 1 resistive	2000 W	Mounting height		2 – 12 m	Ambient temperature		from -20 up to 50 °C
Switching output 1 low-voltage halogen lamps	2000 VA	Presence range		Ø 15 m (177 m²)	Mounting location		ceiling
Own consumption	1 W	True Presence range		Ø 9 m (64 m²)	Application location		Indoors
Switching output 1 number of LED/fluorescent lamps	8 pcs.	Optimal mounting height		2,8 m	Mounting type		Surface wiring
Switching output 1 potential-free	No	CONNECTIVITY			Material		Plastic
SENSOR TECHNOLOGY		Networking		Yes	Application room		Indoors WC / washroom care room changing room classroom conference room / meeting room dining hall / staff restaurant duty room high-bay warehouse hotel room kitchenette lecture hall one-person office open-plan office production facilities reception / lobby recreation room sports hall warehouse
		Networking via		Bluetooth Mesh			
		LIGHTING TECHNOLOGY					
		Soft light start		No			
		Continuous light		selectable			
		Constant light regulation		No			
		SETTINGS					
		Twilight switch		Yes	Colour		white
		Twilight setting		2 – 2000 lx	RAL colour		9003
		Time setting		20 s – 60 Min.	SCOPE OF DELIVERY & WARRANTY		
		Base light function		No	Manufacturer warranty		5 years
		Main light adjustable		Yes	Corner wall bracket included		No
		Settings via		Bluetooth Mesh			


True Presence Multipack (48 pieces) COM1 - surface white

PRESENCE DETECTOR

EAN 4007841085520

Illustrations

TECHNICAL DRAWINGS



MOUNTING HEIGHT

2 – 12 m BEREICH	2,8 m OPTIMAL	12,00 m MAX
---------------------	------------------	----------------


True Presence Multipack (48 pieces) COM1 - surface white

EAN 4007841085520

PRESENCE DETECTOR

Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

True Presence Multipack (48 pieces) COM1 - surface white


EAN 4007841085520

PRESENCE DETECTOR


Highlights



UV-resistant plastic



Digital high frequency sensor



Interconnectable and adjustable via
Bluetooth

True Presence Multipack (48 pieces) COM1 - surface white

PRESENCE DETECTOR

EAN 4007841085520

Accessories

ORDERING INFORMATION	
Art.-Nr.	085520
EAN	4007841085520
Typ	True Presence Multipack (48 pieces) COM1 - surface white
nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	