RS PRO T27 Neutral white

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841091927

steinel

272 x 64 mm



RS PRO T27 Neutral white

LED INDOOR LIGHT WITHOUT SENSOR

EAN **4007841091927**

Technical Data

DIMENSIONS

Dimensions Ø × H	**272 x 64 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**8,2 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**930 lm**
Colour temperature	**4000 K**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**
Soft light start	**No**

LIFETIME

LED lifetime max. °C	**60000 h**
LED lifetime L70B50 25°C	**> 60000 h**
Luminous flux decline per LM80	**L80B10**

SETTINGS

Main light adjustable	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP54**
Protection class	**II**
Ambient temperature	**from -10 up to 40 °C**
Housing material	**Plastic**
Cover material	**Plastic, opal**
Mounting location	**ceiling wall**
Colour	**white**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

CERTIFICATES & EPREL

Certificates	**DEKRA**
EPREL category	**Surrounded product with integrated light source**


RS PRO T27 Neutral white

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841091927

Illustrations

TECHNICAL DRAWINGS



272 x 64 mm


RS PRO T27 Neutral white

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841091927


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2




Master/slave interconnection circuit diagram

RS PRO T27 Neutral white

LED INDOOR LIGHT WITHOUT SENSOR


EAN 4007841091927

Highlights



Including STEINEL LED system

Intelligent soft light start



Interconnectable by cable (maximum of 10 units)

RS PRO T27 Neutral white

LED INDOOR LIGHT WITHOUT SENSOR

EAN **4007841091927**

Accessories

ORDERING INFORMATION

Art.-Nr.	091927
EAN	4007841091927
Typ	**RS PRO T27 Neutral white**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss