L 265 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841007898
E-Nr. 924355079

- Sensor with 4 intelligent programmes
- LED ambient light
- High-quality aluminium
- Including innovative LED lamp
- High-quality opal glass shade
- 4-hour manual override (optional)

295 x 72 x 105 mm



L 265 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841007898**
E-Nr. **924355079**

Technical Data

IDENTIFICATION

Variant	**Silver**

DIMENSIONS

Dimensions L × W × H	**295 x 72 x 105 mm**

ELECTRICAL

Mains connection	**230 – 240 V , 50 / 50 Hz**
Power	**8,5 W**

SENSOR TECHNOLOGY

Sensor technology	**passive infrared**
With motion detector	**Yes**
Detection angle	**360 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**Yes**
Electronic scalability	**No**
Mechanical scalability	**No**
Tangential range	**r = 8 m (201 m²)**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**3000 K**
LED colour deviation	**SDCM6**
Colour rendering index	**80-89**
With illuminant	**Yes, LED lamp**
Illuminant	**LED can be replaced**
Base	**E27**
LED cooling system	**Passive Thermo Control**
Continuous light	**selectable, 4h**
Luminous flux	**674 lm**

LIFETIME

LED lifetime max. °C	**25000 h**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Time setting	**5 sec – 15 min**
Base light function detail	**LED effect light**

HOUSING & MATERIAL

Protection class (IP)	**IP44**
Protection class	**II**
Ambient temperature	**-10 – 50 °C**
Housing material	**Aluminium**
Cover material	**Glass opal**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**

L 265 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841007898**
E-Nr. **924355079**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841008307	**LED Leuchtstab L 265 S**	Accessory
	4007841009038	**Ersatz-Minisensor silber**	Spare Part

ORDERING INFORMATION

Art.-Nr.	4007841007898
EAN	4007841007898
E-Number	924355079
Typ	**L 265 LED Silver**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss