

UA24 KNX-S universal actuator

SYSTEM COMPONENTS

EAN 4007841089184

neva
lux

- KNX switch actuator 24-gang / blinds actuator 12-gang for top-hat rail mounting
- Switching of electrical loads with floating contacts
- Blinds output by combining two neighbouring relay outputs
- Binary output mix with switch and blinds actuator is possible
- Switching current 16A / 140 μ F, switch-on current 200 μ s: 800 A
- Mounting width 216mm (12 rail units)
- 5-year product guarantee, KNX Data Secure

● steinel



UA24 KNX-S universal actuator

SYSTEM COMPONENTS

EAN 4007841089184

Technical Data

IDENTIFICATION		CONNECTIVITY		Mounting type	
Version	Other	With bus coupler	Yes	Colour	grey
ELECTRICAL		HOUSING & MATERIAL		SCOPE OF DELIVERY & WARRANTY	
Mains connection	21 – 32 V	Protection class (IP)	IP20	Manufacturer warranty	5 years
Capacitive load in µF	140 µF	Protection class	II	CERTIFICATES & EPREL	
Supply voltage detail	KNX bus	Ambient temperature	from -5 up to 45 °C	Certificates	EMC
		Housing material	Plastic		

UA24 KNX-S universal actuator

SYSTEM COMPONENTS

EAN 4007841089184

Accessories

ORDERING INFORMATION	
Art.-Nr.	089184
EAN	4007841089184
Typ	UA24 KNX-S universal actuator
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	