# RS PRO DL LED 15 W Slave - neutral white

**INDOOR LIGHT**

EAN 4007841007720

- Including STEINEL LED system
- Intelligent LED cooling system
- Ceiling-flush installation
- Interconnectable by cable ?(maximum of 10 units)
- Can only be set by optional remote control RC2

142.5 x 88 mm



# RS PRO DL LED 15 W Slave - neutral white

INDOOR LIGHT

EAN 4007841007720

## Technical Data

### IDENTIFICATION

| | |
|---|---|
| Variant | Slave - neutral white |

### DIMENSIONS

| | |
|---|---|
| Dimensions Ø × H | 142.5 x 88 mm |

### ELECTRICAL

| | |
|---|---|
| Mains connection | 100 – 240 V , 50 / 60 Hz |
| Power | 15 W |
| Power detail | Only via Eltako ER12DX-UC with basic light function deactivated |

### SENSOR TECHNOLOGY

| | |
|---|---|
| Transmission power | < 1 mW |
| With motion detector | No |

### CONNECTIVITY

| | |
|---|---|
| Control technology | On/Off-Leuchte |

### LIGHTING TECHNOLOGY

| | |
|---|---|
| Colour temperature | 4000 K |
| LED colour deviation | SDCM3 |
| Colour rendering index | 80-89 |
| With illuminant | Yes, STEINEL LED system |
| Illuminant | LED cannot be replaced |
| Base | without |
| LED cooling system | Passive Thermo Control |
| Luminous flux | 838 lm |

### LIFETIME

| | |
|---|---|
| LED lifetime max. °C | 50000 h |
| Luminous flux decline per LM80 | L70B10 |

### SETTINGS

| | |
|---|---|
| Twilight switch | No |
| Time setting | 60 sec – 60 min |
| Base light function time | 10 min, 30 min, all night |

### HOUSING & MATERIAL

| | |
|---|---|
| Impact resistance | IK00 |
| Protection class (IP) | IP20 |
| Protection class | II |
| Ambient temperature | -10 – 40 °C |
| Housing material | Aluminium |
| Cover material | Plastic, opal |

### SCOPE OF DELIVERY & WARRANTY

| | |
|---|---|
| Manufacturer warranty | 5 years |

# RS PRO DL LED 15 W Slave - neutral white

INDOOR LIGHT

EAN 4007841007720

## Accessories

| | ARTICLE NUMBER | DESCRIPTION | CATEGORY |
|---|---|---|---|
|  | 4007841737818 | **RS PRO Fernbedienung RC2** | Accessory |
|  | 4007841009151 | **Smart Remote** | Accessory |
|  | 4007841013677 | **Sanierungsblende für RS PRO DL LED 15 W** | Accessory |

### ORDERING INFORMATION

| | |
|---|---|
| Art.-Nr. | 4007841007720 |
| EAN | 4007841007720 |
| Typ | **RS PRO DL LED 15 W Slave - neutral white** |

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss