sensIQ S white

MOTION DETECTOR

EAN 4007841059613
E-Nr. 535940708

steinel

128 x 114 x 74 mm



sensIQ S white

MOTION DETECTOR

EAN **4007841059613**
E-Nr. **535940708**

Technical Data

IDENTIFICATION

Version	**Motion detectors**

DIMENSIONS

Dimensions L × W × H	**128 x 114 x 74 mm**

SENSOR TECHNOLOGY

Max. mounting height	**5,00 m**
Sensor technology	**passive infrared**
Detection angle	**300 °**
Opening angle	**180 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**Yes**
Electronic scalability	**No**
Mechanical scalability	**Yes**
Range detail	**Reach adjustable from 2 - 20 m in 3 directions (100° in each)**
Radial range	**r = 4 m (42 m²)**
Tangential range	**r = 20 m (1047 m²)**
Mounting height	**2 – 5,00 m**
Optimal mounting height	**2 m**

CONNECTIVITY

Networking	**Yes**
Type of networking	**Master/master Master/slave**
KNX functions	**Light output 2x Presence output Light level Constant-lighting control Basic light level function Photo-cell controller Close range Individual pyro evaluation Logic gate**
With bus coupler	**Yes**
Networking via	**KNX**

LIGHTING TECHNOLOGY

Soft light start	**Yes**
Continuous light	**selectable**
Constant light regulation	**Yes**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 1000 lx**
Time setting	**60 s – 15 Min.**
Base light function	**Yes**
Main light adjustable	**0 - 100 %**
Settings via	**ETS software Remote control Bus Smart Remote**
With remote control	**Yes**
Twilight setting teach	**Yes**

HOUSING & MATERIAL

Ambient temperature	**from -20 up to 50 °C**
Mounting location	**corner wall**
Application location	**Indoors Outdoors**
Mounting type	**Surface wiring**
Material	**Plastic**
Application room	**Indoors all round the building courtyard & driveway front door multi-storey / underground car park outdoors warehouse**
Colour	**white**
RAL colour	**9010**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**
Corner wall bracket included	**Yes**


sensIQ S white

MOTION DETECTOR

EAN **4007841059613**
E-Nr. **535940708**

Illustrations

TECHNICAL DRAWINGS



128 x 114 x 74 mm

MOUNTING HEIGHT


2 – 5,00 m	2 m	5,00 m
BEREICH	OPTIMAL	MAX

sensIQ S white

MOTION DETECTOR

EAN 4007841059613
E-Nr. 535940708

Highlights



4x pyro system



UV-resistant plastic



Including corner wall mount



Remote control RC9 included



Smart Remote remote control optional

sensIQ S white

MOTION DETECTOR

EAN **4007841059613**
E-Nr. **535940708**

Accessories

ORDERING INFORMATION

Art.-Nr.	059613
EAN	4007841059613
E-Number	535940708
Typ	**sensIQ S white**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss