

HF 360 COM2 - Concealed wiring

PRESENCE DETECTOR

neva
lux

EAN 4007841002848

E-Nr. 535934705

● steinel

56 x 120 x 120 mm



HF 360 COM2 - Concealed wiring


PRESENCE DETECTOR

EAN 4007841002848

E-Nr. 535934705

Illustrations

TECHNICAL DRAWINGS



56 x 120 x 120 mm

MOUNTING HEIGHT

2,50 – 3,50 m BEREICH	2,8 m OPTIMAL	3,50 m MAX
--------------------------	------------------	---------------

HF 360 COM2 - Concealed wiring


PRESENCE DETECTOR

EAN 4007841002848

E-Nr. 535934705


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2



Master/slave interconnection circuit diagram

HF 360 COM2 - Concealed wiring

PRESENCE DETECTOR

EAN 4007841002848

E-Nr. 535934705


Highlights



Optional remote control



Optional surface-mounting adapter



Optional guard cage



HF ceiling adapter for installation in
suspended ceilings

HF 360 COM2 - Concealed wiring

PRESENCE DETECTOR

EAN 4007841002848
E-Nr. 535934705

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841000363	Aufputz-Adapter Control Pro IP54 weiss	Accessory
 4007841003036	Control PRO Schutzkorb	Accessory
 4007841006600	HF-Deckenadapter	Accessory
 4007841009151	Smart Remote	Accessory
 4007841559410	Service Fernbedienung RC8	Accessory

ORDERING INFORMATION

Art.-Nr.

002848

EAN

4007841002848

E-Number

535934705

Typ

HF 360 COM2 - Concealed wiring

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss