

RS PRO LED S1 IP65 neutralweiss

neva
lux

Product code **4007841057794**

E-Nr. **941000359**

- Including STEINEL LED system
- Intelligent LED cooling system
- Optional basic lighting level 10 %
- Wireless interconnection
- High-quality aluminium
- Impact-resistant material rated to IK10
- Optional remote control

neva
lux

300 x 71 mm



RS PRO LED S1 IP65 neutralweiss

Product code **4007841057794**
E-Nr. **941000359**

Technical Data

IDENTIFICATION		LIGHTING TECHNOLOGY		Twilight setting		2 – 2000 lx
Variant	Neutral white	Colour temperature	4000 K	Time setting	5 sec – 15 min	
DIMENSIONS		LED colour deviation	SDCM3	Base light function	Yes	
Dimensions Ø × H	300 x 71 mm	Colour rendering index	80-89	Base light function time	10/30 min, all night	
ELECTRICAL		With illuminant	Yes	Functions	Manual ON / ON-OFF, Group parameterisation, Neighbouring-light function, Presence function	
Mains connection	220 – 240 V , 50 / 60 Hz	Illuminant	LED cannot be replaced			
Power	15 W	Base	without	With remote control	No	
SENSOR TECHNOLOGY		LED cooling system	Active and Passive Thermo Control	HOUSING & MATERIAL		
Sensor technology	High frequency	Continuous light	selectable	Impact resistance	IK10	
With motion detector	Yes	Luminous flux	1213 lm	Protection class (IP)	IP65	
Detection	also through glass, wood and stud walls	LIFETIME		Protection class	II	
Detection angle	360 °	LED lifetime max. °C	70000 h	Ambient temperature	-10 – 50 °C	
Opening angle	160 °	Luminous flux decline per LM80	L80B10	Housing material	Aluminium	
Electronic scalability	Yes	SETTINGS		Cover material	Plastic, opal	
Mechanical scalability	No	Twilight switch	Yes	SCOPE OF DELIVERY & WARRANTY		
				Manufacturer warranty	5 years	

RS PRO LED S1 IP65 neutralweiss

Product code **4007841057794**
E-Nr. **941000359**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841057794

E-Number

941000359

Typ

RS PRO LED S1 IP65 neutralweiss

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss